

## AD 1 FLYGPLATSER - INLEDNING / AERODROMES - INTRODUCTION

### 1.1 Förutsättningar för användbarhet

#### 1 Allmänt

1.1 Civila luftfartyg får för start och landning använda:

- a) i AIP-SVERIGE upptagna godkända flygplatser;
- b) militära flygplatser på villkor enligt punkt 3 nedan;
- c) enskilda flygplatser;
- d) vatten, is eller snö och
- e) andra lämpliga platser.

*Anm. För start och landning på annat område än godkänd flygplats kan markägarens tillstånd vara erforderligt. Tillstånd att använda i AIP intagen enskild flygplats behöver dock inhämtas endast om PPR anges i AD 2 mom 2.2 och AD 1.1 mom 12.*

*Anm. Vid befordran i förvärvssyfte av personer får endast start- och landningsplatser enligt a), b), och d) ovan användas.*

#### 1.2 Förvaltning av flygplatser

Ägaren/operatören ansvarar för förvaltningen av flygplatsen. Administrativa uppgifter om ägaren/operatören är publicerade i AD 2 mom 2.2 och i viss utsträckning i AD 1.1.12.

*Anm. Angående ansökan om tillstånd att begagna flygplats tillhörande flygvapnet: Se nedan under, Användande av militära flygplatser, mom 3.*

#### 1.3 Informationer angående fältbeskaffenhet vid flygplatz

Informationer angående fältbeskaffenhet vid flygplatz, såsom lös fälttyta, spårbildning, snöförhållanden o dyl, meddelas i NOTAM/SNOWTAM distribuerade på luftfartens fasta förbindelser.

Informationer rörande flygplatz utan flygtrafikledning kan i vissa fall vara inaktuella. Förare skall sälunda före flygning själv göra sig underrättad om aktuella rådande förhållanden på sådana flygplatser.

Formellt förbud för start och/eller landning för samtliga eller vissa flygplantyper kommer i regel inte att utfärdas på grund av fältbeskaffenhet. På grund härav åligger det sälunda vederbörlande förare eller företagare att på grundval av föreliggande informationer själv avgöra om start eller landning kan ske på betryggande sätt.

Då del av färdområde (exempelvis flygplanparkeringsområde), enligt prioritering i AD 1.2 mom 2.7, måste lämnas oröjd åligger det förare att själva skaffa sig sådan information om områdets tillstånd att taxning kan ske på betryggande sätt.

### 1.1 Conditions of availability

#### 1 General

1.1 Civil aircraft may for take-off and landing use:

- a) in AIP-SWEDEN published licensed aerodromes;
- b) military aerodromes in accordance with para 3 below;
- c) non-licensed aerodromes;
- d) water, ice or snow and
- e) other suitable places.

*Note. For take-off and landing on places other than a licensed aerodrome the permission of the land owner may be required. Permission to use a non-licensed aerodrome listed in AIP has to be requested only if PPR is stated in AD 2 para 2.2 and AD 1.1 para 12.*

*Note. When carrying passengers for commercial purposes those places listed in a), b) and d) above may be used only.*

#### 1.2 Aerodromes administration

Administration of an aerodrome is the responsibility of the owner/operator. The administrative data of the owner/operator are published in AD 2 para 2.2 and to some extent in AD 1.1.12.

*Note. Regarding permission to use military air bases see para 3 below.*

#### 1.3 Information regarding field conditions at aerodromes

Information regarding field conditions at aerodromes, such as soft surface, track formation, snow conditions, etc is given in NOTAMs/SNOWTAMs distributed on the Aeronautical Fixed Services.

Information concerning aerodromes without any Air Traffic Service, may in certain circumstances be inactual. Consequently, the pilot-in-command should before a flight make himself aquainted with the actual conditions pre-vailing at such aerodromes.

Formal prohibition of all or certain types of aircraft as regards take-off and/or landing will not generally be issued on account of field conditions. It will therefore be up to the pilot-in-command or the operator to decide, on the basis of available information, if take-off or landing can safely be carried out.

When according to the priority of snow/slush clearance in AD 1.2 para 2.7, part of the movement area (e.g. parking area) must be left uncleared, it is the duty of the pilot-in-command to obtain information about the condition of the area or that taxiing can be carried out safely.

## 2 Tillämpade ICAO-dokument

Tillämpat ICAO dokument är Annex 14, Aerodromes.

## 3 Användande av militära flygplatser

### 3.1 Allmänt

Använtande av militära flygplatser i Sverige av annat än statsluftfartyg får endast göras då tillstånd har inhämtats i förhand. Detsamma gäller för att få använda militära flygplatser som alternativa landningsflygplatser. ESPA Luleå/Kallax samt ESDF Ronneby flygplatser omfattas inte av dessa restriktioner. Tillstånd till att använda ESPA Luleå/Kallax samt ESDF Ronneby kommer att ges om inte speciella förutsättningar föreligger. Tillståndet kan när som helst tas tillbaka med omedelbar verkan om omständigheterna så kräver.

*Anm. För nyttjande av ESPA Luleå/Kallax samt ESDF Ronneby krävs PPR utanför publicerad öppethållning (AD 2).*

### 3.2 Insändande av ansökan

Skriftlig ansökan gällande tillstånd att använda militär flygplats skall sändas direkt till berörd flygplats i god tid före datumet för flygningen.

### 3.3 Regler och villkor

Verksamhet på en militär flygplats måste utföras i enlighet med de regler och villkor som anges nedan, med hänsyn till andra eventuella villkor som eventuellt anges för varje enskilt tillstånd.

a) En färdplan skall sändas för varje enskild flygning. Under flygning i kontrollerat luftrum och under verksamhet på manöverområdet, skall ansvarig pilot noggrant följa givna klareringar och instruktioner.

b) Flygplatschefen för aktuell militär flygplats anger regler som skall följas av flygande personal och passagerare gällande säkerhetsåtgärder, trafik samt vistelse på flygplatsen.

Vad gäller flygplatserna ESCF Linköping/Malmen samt ESIB Sätenäs är fotografering såväl från luften som på marken förbjuden. På övriga militära flygplatser, gäller det lokala förbudet enligt anslag. Flygande personal samt markpersonal skall anmäla brott mot detta omgående.

c) Försvarsmakten skall inte hållas ansvarig för stölder, eld-, vatten- eller annan skada på luftfartyg, tillhörande utrustning, flygande personal, passagerare, frakt, etc. som orsakas under vistelsen på flygplatsen. Försvarsmakten förbehåller sig rätten att avkräva ersättning för skador som orsakas av civila lyftfartyg, flygande personal eller passagerare på Flygvapnets material, byggnader och personal inom flygplatsens område.

## 2 Applicable ICAO documents

Applicable ICAO document is Annex 14, Aerodromes.

## 3 Civil use of military air bases

### 3.1 General

Use of military air bases in Sweden by other than State-registered aircraft may be made solely when prior permission has been obtained. The use of military air bases as alternate aerodromes may likewise be made solely when prior permission thereto has been obtained. ESPA Luleå/Kallax and ESDF Ronneby Air Bases are not affected by these regulations. Permissions to use ESPA Luleå/Kallax and ESDF Ronneby Air Bases will be granted unless special conditions apply. Permission may at any time be withdrawn with immediate effect, should circumstances so require.

*Note. For use of ESPA Luleå/Kallax and ESDF Ronneby PPR is required outside hours of operation (see AD 2).*

### 3.2 Submission of application

Application in writing for permission to use military air base shall be submitted directly to the air base concerned well in advance of the date of flight.

### 3.3 Rules and Conditions

Operations on the air base must be carried out in accordance with the rules and conditions stated below with due regard to such other conditions as may have been stipulated for each individual permission.

a) A flight plan shall be submitted for each individual flight. During flight in controlled airspace and during operations on the manoeuvring area, the pilot-in-command shall closely observe the directions given.

b) The aerodrome manager establishes the rules which are to be observed by flight crew members and passengers concerning security measures, traffic and stays at the air base.

As regards the air bases ESCF Linköping/Malmen and ESIB Sätenäs, photographing from the air as well as on the ground is prohibited. At the remaining air bases, the local ban on photography will apply as posted. Flight crew members and ground personnel shall immediately report any violations.

c) The Defence Forces shall not be liable for the theft of and fire-, water- or other damage to aircraft, their equipment, flight crew members, passengers, cargo, etc. caused during stays at the air base. The Defence Forces reserve the right to claim compensation for damage caused by civil aircraft, flight crew members or passengers to Air Force material, buildings and personnel within the area of an air base.

- 3.4 ESCF Linköping/Malmen och ESIB Såtenäs, speciella föreskrifter. Ansökan om användande.
- a) Ansökan om regelbundet användande av ESCF Linköping/Malmen samt ESIB Såtenäs flygplats skall sändas till Flygtaktiska Staben, Högkvarteret, Sverige:  
 Högkvarteret  
 Lidingövägen 24  
 SE-107 85 Stockholm
- b) Förfrågan om tillstånd för enskilda flygningar till och från ESCF Linköping/Malmen samt ESIB Såtenäs flygplats kan under respektive ATS publicerade öppethållningstider göras via telefon eller telefax så sent som samma datum som för flygningen till:
- ESCF:  
 MIL AD FM/Swedish Armed Forces  
 Helikopterflottiljen  
 SE-581 98 Linköping  
 TEL: +46 (0)13 28 38 00 FAX: +46 (0)13 28 35 40
- ESIB:  
 Mil AD FM/Swedish Armed Forces  
 F7, Skaraborgs flygflottilj  
 SE-530 32 Såtenäs  
 TEL: +46 (0)510 47 70 00 FAX: +46 (0)510 47 71 91
- c) Om flygningen för vilken tillstånd ansöks kommer att genomföras utanför respektive ATS publicerade öppethållningstid, måste ansökan sändas senast en timme före stängningstid (se AD 2.3.7).
- 3.4 ESCF Linköping/Malmen and ESIB Såtenäs, Special Regulations. Application on use.
- a) Application on regular use of ESCF Linköping/Malmen and ESIB Såtenäs shall be submitted to Tactical Air Command, Högkvarteret, Sverige:  
 Högkvarteret  
 Lidingövägen 24  
 SE-10785 Stockholm
- b) Request on permission for individual flights to use the military aerodromes ESCF Linköping/Malmen and ESIB Såtenäs under the published ATS hours can be made by phone or telefax, as late as date-of-flight, by submitting the request to:
- ESCF:  
 MIL AD FM/Swedish Armed Forces  
 Helikopterflottiljen  
 SE-581 98 Linköping  
 TEL: +46 (0)13 28 38 00 FAX: +46 (0)13 28 35 40
- ESIB:  
 Mil AD FM/Swedish Armed Forces  
 F7, Skaraborgs flygflottilj  
 SE-530 32 Såtenäs  
 TEL: +46 (0)510 47 70 00 FAX: +46 (0)510 47 71 91
- c) If the requested flight will be conducted outside the published ATS hours, the request has to be submitted not later than one hour prior to closing time (see AD 2.3.7).

#### 4 LVO och CAT II/III-operationer

##### 4.1 Allmänt

4.1.1 Vid svenska flygplatser tillämpas nedanstående operativa föreskrifter och föraranden för kategori II/III-operationer (nedan benämnt CAT II/III-inflygning).

4.1.2 Utländska flygföretag behöver inget särskilt godkännande av Transportstyrelsen (dvs. luftfartsmyndigheten) för att utföra LVO och CAT II/III inflygningar i Sverige. Ett godkännande utfärdat av luftfartsmyndigheten i den stat luftfartyget eller brukaren är registrerad är tillräckligt.

*Anm. Där inte annat anges gäller nedanstående även för CAT II/III övningsinflygning och teknisk kvalificeringsflygning.*

*Anm. Väderkriteria (sikt vid marken och vertikalsikt) för uppgradering till CAT II/III-status fastställs separat för varje berörda flygplats. Dessa publiceras i AD 2 berörda flygplatser.*

4.1.3 En CAT II/III-inflygning anses påbörjad, när ett luftfartyg som fått klarering för sådan inflygning har passerat en punkt 10 NM från tröskeln (fastställt med radar eller DME).

##### 4.2 Villkor

4.2.1 För CAT II/III-inflygning skall minst följande hjälpmedel/utrustning fungera, med de undantag som anges:

a) ILS LOC och GP; ordinarie eller reservsändare.

#### 4 LVO and CAT II/III operations

##### 4.1 General

4.1.1 At Swedish aerodromes the operational procedures shown below are applied for category II/III operations.

4.1.2 Non-Swedish operators do not need a special approval from the Transport Agency (i.e. the Swedish CAA) for LVO and CAT II/III approaches in Sweden. An approval issued by the authority in the state of registry/state of operator to perform LVO and CAT II/III approaches is sufficient.

*Note. Unless otherwise indicated, the below procedures also apply to CAT II/III training flights and technical qualification flights.*

*Note. Meteorological criteria (ground visibility and vertical visibility) for upgrading to CAT II/III status are established separately for each concerned aerodrome. These are published in AD 2.*

4.1.3 A CAT II/III approach is considered to commence when an aircraft having received clearance for such an approach have passed a point 10 NM from the threshold (according to radar or DME).

##### 4.2 Conditions

4.2.1 For CAT II/III approaches, at least the following equipment/aids must be in operation, with the exceptions indicated:

a) ILS LOC and GP; regular or stand-by transmitter.

Anm. Om driftberedd reservsändare i standby-läge inte är tillgänglig när sändning sker från ordinarie, eller om reservsändare övertar sändningen från ordinarie, informeras luftfartyget om förhållandet.

b) Ytter markeringsfyr (OM)

OM får dock vara ur funktion, om motsvarande position kan fastställas med ytter inflygningsfyr (LO), DME eller radar.

c) Flygplatsljus, bestående av inflygningsljussystem CAT II/III, tröskel- och banändljus, centrumlinje- och bankantljus, sättningszonljus samt stoppbärar.

Anm. Om stoppbär saknas, får CAT II/III-inflygning ändå tillåtas, om betryggande åtgärd vidtagits för skydd av banan.

d) Reservkraft för flygplatsljusen skall vara omedelbart tillgänglig.

e) Utrustning för automatisk bestämning av RVR (transmissometer) skall för CAT II-inflygning vara i funktion minst för sättningszonen och mittzonen. Om RVR-värde för mittzonen inte är tillgängligt, får det ersättas av värde för stoppzonen. För CAT III-inflygning skall RVR vara i funktion för sättningszonen, mittzonen och stoppzonen.

4.2.2 Luftfartyg skall ha begärt att få utföra CAT II/III-inflygning.

4.2.3 Under pågående CAT II/III-inflygning gäller följande:

a) ILS, LOC och GP till motsatta banan är frånslagna.

b) Stoppbarer är tända (se dock anmärkning till 4.2.1 c).

c) Befintliga centrumlinjeljus på taxibanor som ansluter till banan är tända.

d) Avgående luftfartyg lämnas taxningsklarering endast till CAT II/III-väntplats.

e) Luftfartyg, fordon eller personer tillåts inte röra sig inom eller uppehålla sig inom »ILS sensitive area» från det att det inflygande luftfartyget passerat 2 NM från sättpunkten till dess att landning skett. Därutöver hålls området fritt i möjligaste mån.

f) Luftfartyg eller fordon tillåts inte passera CAT II/III-väntplats i riktning mot banan förrän ankommande luftfartyg har landat. Avgående luftfartyg får dock tillåtas starta framför inflygande luftfartyg om separationskrav enligt mom 4.4 uppfylls.

Anm. För ATC-förfaranden i övrigt, se mom 4.3 och 4.4.

#### 4.3 Klarering och upplysningar

4.3.1 Klarering för CAT II/III-inflygning lämnas om möjligt före passage av avstånd 10 NM från sättpunkten. Ev. radarledning utförs till mellanliggande/slutlig inflygning så att luftfartyget kan etablera sig på LOC minst 3 NM före FAP (Final Approach Point).

Note. If a standby transmitter is not immediately available when the ordinary transmitter is transmitting, or if the stand-by transmitter takes over transmission from the ordinary transmitter, the aircraft will be informed about the conditions.

b) Outer marker (OM)

The outer marker may however be unserviceable, if the corresponding position can be determined by the outer locator (LO), DME or radar.

c) Aerodrome lighting: approach lighting system CAT II/III, threshold and runway end lights, centreline and runway edge lights, touchdown zone lights and stop bars.

Note. In case a stop bar is not available, CAT II/III approaches may still be approved provided the runway is protected by special arrangements.

d) Stand-by power shall be immediately available.

e) For CAT II approach equipment for automatic RVR measuring (transmissometers) shall be in operation at least for the touchdown and midpoint zones. If RVR is not available for the midpoint zone, it may be substituted by RVR for the stop end zone. For CAT III approach RVR shall be in operation for the touchdown, midpoint and stop end zone.

4.2.2 The aircraft shall have requested CAT II/III approach.

4.2.3 When a CAT II/III approach is in progress the following applies:

a) ILS, LOC and GP for the opposite runway are not transmitting.

b) Stop bars are in operations (see, however, Note to 4.2.1c).

c) Runway centreline lights, where available, on taxiways intersecting the runway are in operation.

d) Departing aircraft will be given taxi clearance to the CAT II/III taxi-holding point.

e) Aircraft, vehicles or persons are not permitted to move or hold within the »ILS sensitive area» after the approaching aircraft has passed distance 2 NM from touchdown until it has landed. Otherwise, the area will be kept clear to the extent possible.

f) Aircraft or vehicles are not permitted to pass the CAT II/III taxi-holding position towards the runway until the approaching aircraft has landed. However, departing aircraft may be cleared to take off before the approaching aircraft if the separation requirements in para 4.4 are met.

Note. For other ATC procedures see para 4.3 och 4.4.

#### 4.3 ATC clearance and information

4.3.1 ATC clearance for a CAT II/III approach will if possible be issued before the aircraft reaches a point 10 NM from touchdown. When radar vectoring is provided to the intermediate/final approach path, this will be carried out so as to enable the aircraft to be established on LOC at least 3 NM before reaching the FAP (Final Approach Point).

4.3.2 Landningsklarering lämnas normalt senast på avstånd 2 NM. Är detta undantagsvis inte möjligt, meddelas luftfartyget »Förvärna sen landningsklarering». Landningsklarering eller, om landningsklarering fortfarande inte kan lämnas, ges instruktion att avbryta inflygningen »Dra på» senast på avstånd 1 NM.

4.3.3 Under pågående CAT II/III-inflygning informeras luftfartyget om följande:

- a) Inträffad felaktighet hos hjälpmittel/utrustning av betydelse för återstoden av inflygningen. Sådan information behöver dock inte lämnas, om luftfartyget passerat avstånd 1 NM från sättpunkten, med undantag av totalt elkräftfel som omedelbart skall meddelas;
- b) Betydelsefull ändring av mark vindens riktning ( $> 60^\circ$ ) och hastighet ( $\geq 10$  kt),
- c) Betydelsefull ändring av tidigare meddelat RVR-värde ( $\text{ändring} \geq 50$  m, bestående mer än ca 15 sek).

#### 4.4 Separation

Anm. Dessa separationsminima behöver inte tillämpas för övningsinflygning eller teknisk kvalificeringsflygning CAT II/III.

4.4.1 Separationen mellan ett CAT II/III-inflygande luftfartyg och ett framförvarande inflygande luftfartyg skall minst vara sådan att det framförvarande hinner landa samt lämna banan och »ILS sensitive area», innan det efterföljande luftfartyget når avstånd 2 NM från sättpunkten.

4.4.2 Mellan ett CAT II/III-inflygande luftfartyg och ett framförvarande avgående luftfartyg från samma bana skall separationen minst vara sådan, att det avgående luftfartyget passerar antennen för ILS LOC innan det inflygande luftfartyget når avstånd 2 NM från sättpunkten.

#### 5 Friktionsmätningsutrustning och friktionsnivå för vilken banan kommer att deklarerats som hal när den är våt

För friktionsmätningsutrustning se AD 1.2. Då endast vatten finns på en bana och regelbundna mätningar indikerar att banan inte kommer att bli hal när den är våt, kommer inga friktionsmätningsatt göras, och banan kommer att rapporteras som "VÅT".

#### 6 Stoppljus

När ett stoppljus eller dess manöverutrustning inte fungerar ska taxibanan stängas. Om flygplatsen saknar en alternativ taxibana ska luftfartyget erhålla klarering innan passage av tånt eller inte fungerande stoppljus och ett fordon för vägledning av luftfartyg ska vägleda luftfartyget.

4.3.2 Landing clearance will normally be given before the aircraft reaches a point 2 NM from touchdown. If this exceptionally is not possible, the aircraft will be informed »Expect late landing clearance», and landing clearance will, or if landing clearance can still not be given, the aircraft will be instructed to go around not later than 1 NM from touchdown.

4.3.3 During ongoing CAT II/III approach the aircraft will be informed about:

- a) Malfunctions of equipments/aids of importance for the rest of the approach. Such information need not, however, be transmitted after the aircraft has passed a point 1 NM from touchdown, except for total power failure which will be transmitted immediately.
- b) Significant changes in the surface wind direction ( $> 60^\circ$ ) and speed ( $\geq 10$  kt),
- c) Significant changes in RVR values previously transmitted (changes  $\geq 50$  m, lasting more than approximately 15 sec).

#### 4.4 Separation

Note. These separation minima need not be applied for practice approaches or technical qualification flights CAT II/III.

4.4.1 The separation between an aircraft carrying out a CAT II/III approach and a preceding approaching aircraft will be sufficient to allow the leading aircraft to land and vacate the runway and the »ILS sensitive area» before the following aircraft reaches a point 2 NM from touchdown.

4.4.2 Between an aircraft carrying out a CAT II/III approach and an aircraft departing from the same runway, the separation will be sufficient to allow the departing aircraft to pass over the ILS LOC antenna before the approaching aircraft reaches a point 2 NM from touchdown.

#### 5 Friction measuring device used and friction level below which the runway is declared slippery when wet

For the friction measuring device used see AD 1.2. Where only water is present on a runway and periodic measurements indicate that the runway will not become slippery when wet, no measuring will take place, and the runway will be reported as "WET".

#### 6 Stop bars

When a stop bar or the operation of the stop bar is out of service, the taxiway shall be closed. If the aerodrome has no alternative taxiway, the aircraft shall before crossing a lit or non-working stop bar receive a clearance to do so and a follow-me car shall guide the aircraft.

**7 Annan information****7.1 Referenskod för rullbana**

Vid godkännande av flygplats klassificeras banan (-orna) enligt en särskild referenskod uppbyggd enligt nedanstående tabell grundat på flygplatsens utformning och dimensionerande trafik. Se även AD 2 mom 2.2.7.

**7 Other information****7.1 Runway reference code**

When aerodrome licensing the runway(s) is classified in accordance with the reference code system which is based on the aerodrome configuration and the dimensioning traffic. The different ref. code elements are shown below. See also AD 2 para 2.2.7.

<b>Code element 1</b>		<b>Code element 2</b>		
Code No.	Aero plane reference field length	Code letter	Wing span	Outer wheel track, main gear
1	Less than 800 m	A	Up to 15 m	Up to 4.5 m
2	800 m and up to 1200 m	B	15 m and up to 24 m	4.5 m and up to 6 m
3	1200 m and up to 1800 m	C	24 m and up to 36 m	6 m and up to 9 m
4	1800 m and longer	D	36 m and up to 52 m	9 m and up to 14 m
		E	52 m and up to 65 m	9 m and up to 14 m
<b>Heliports</b>				Code No.
Dimension of landing area				
35 x 50 m or larger				H I
25 x 35 m and up to 35 x 50 m				H II
1.0 L x 1.5 L – and up to 25 x 35 m				H III
1.3 Rd x 1.3 Rd (on building)				H IV
L = length of helicopter, rotors included		Rd = Main rotor diameter		

**7.2 Benämning av waypoint**

Benämning av taktisk waypoint i systemet för standardflygvägar SID/STAR för RNAV inom TMA är uppbyggd av de två sista bokstäverna i flygplatsens ICAO platsindikator, exempelvis SA för ESSA, följt av ett tresiffrigt nummer från 400 till 999.

Siffrorna är grupperade i fyra kvadranter centrerade kring flygplatsens Aerodrome Reference Point (ARP) enligt följande:

0° – 089°	400 – 549
90° – 179°	550 – 699
180° – 269°	700 – 849
270° – 359°	850 – 999

**7.2 Waypoint naming**

The naming convention used for tactical waypoints in the standard route system SID/STAR for RNAV in TMA, is based on the two last letters in the airport ICAO Location Indicator, e.g. SA for ESSA, followed by three digits numbered from 400 to 999.

The digits are divided into four quadrants of a circle with centre at the Aerodrome Reference Point (ARP):

0° – 089°	400 – 549
90° – 179°	550 – 699
180° – 269°	700 – 849
270° – 359°	850 – 999

**8 Flyginformationstjänst för flygplatser (AFIS)****8.1 Allmänt**

8.1.1 Vid många icke kontrollerade flygplatser utövas flyginformationstjänst för flygplatser (AFIS). Tjänsten utövas av AFIS-enheter. Berörda flygplatser benämns AFIS-flygplatser.

Flyginformationstjänst för flygplatser (AFIS) ska utövas för

- a) Luftfartyg på och i närheten av flygplatsen
- b) Luftfartyg som utför instrumentinflygning, och
- c) övriga luftfartyg inom trafikinformationsområde (TIA) och trafikinformationszon (TIZ).

8.1.2 AFIS-enheter lämnar upplysningar av betydelse för luftfartyg angående känd flygtrafik, väderförhållanden och förhållanden på flygplatsen. Däremot lämnas inte klarering avseende inflygning, landning, start, utflygning eller rörelser i samband därmed. Följaktligen upprättas inte separation mellan luftfartyg genom AFIS-enhetens försorg.

8.1.3 AFIS-enhet utövar alarmeringstjänst för alla kända luftfartyg när så är praktiskt möjligt.

8.1.4 På radiotelefoni identifieras AFIS-enheter genom namnet på flygplatsen följt av ordet »INFORMATION».

**8.2 AFIS-enhets uppgifter**

- a) Föreslå bana till ankommande och avgående luftfartyg
- b) Vidarebefordra klareringar exakt som de erhållits från enheter för flygkontrolltjänst till berörda luftfartyg
- c) Ge tillstånd till och övervaka fordons och personers tillträde till manöverområdet
- d) Vid behov föreslå väntläge för ankommande VFR-trafik, i de fall där det finns ett publicerat väntläge.

8.2.1 Förslag lämnat i enlighet med 8.2 a) eller d) fritar inte befälhavare från skyldigheten att förvissa sig om att föreslagen bana eller föreslaget handlingssätt inte strider mot flygsäkerheten eller tillämpliga regler och föreskrifter.

**8.3 »Banan fri»**

8.3.1 AFIS-enheten ska lämna upplysningen »BANAN FRI» (»RUNWAY FREE») till avgående och ankommande luftfartyg när inga luftfartyg, fordon eller personer eller annat hinder finns på banan eller närmare banan än det avstånd som gäller för den fastställda väntplatsen.

**8 Aerodrome flight information service (AFIS)****8.1 General**

8.1.1 At several non-controlled aerodromes, Aerodrome Flight Information Service (AFIS) is provided. This service is provided by AFIS units. Aerodromes concerned are identified as »AFIS aerodromes».

Aerodrome flight information service (AFIS) will be provided for

- a) aircraft at or in the vicinity of the aerodrome
- b) aircraft conducting an instrument approach, and
- c) other aircraft in TIA and TIZ.

8.1.2 AFIS units provide information to aircraft regarding known traffic, meteorological conditions, and aerodrome conditions. Air traffic control clearances pertaining to approach, landing, take-off, climb-out, or associated manoeuvres, will not be given. It follows that no separation is established between aircraft by the AFIS unit.

8.1.3 AFIS unit will provide alerting services for any known aircraft when practicable

8.1.4 On RTF, AFIS units are identified by the name of the aerodrome, followed by the word »INFORMATION».

**8.2 AFIS units responsibilities**

- a) suggest runway for arriving and departing aircraft
- b) forward clearances, exactly as received from air traffic control units, to the aircraft
- c) authorize and monitor vehicles and persons access to the manoeuvring area
- d) if necessary, suggest holding for arriving VFR traffic, where there is a published holding.

8.2.1 No suggestion given in accordance with 8.2 a) or d) relieves the pilot-in-command of his responsibility of ensuring that adhering to the suggestion would not jeopardize flight safety or otherwise infringe applicable rules and regulations.

**8.3 »Runway free»**

8.3.1 The information »RUNWAY FREE» will be transmitted by the AFIS unit to departing and arriving aircraft when no aircraft, vehicles or people or other obstructions on the runway or closer to the runway than the distance for the specified holding point.

## 8.4 Flygning i närheten av AFIS-flygplats

8.4.1 Luftfartyg ska upprätta dubbelriktad radiotrafik med AFIS-enheten.

8.4.2 När ett luftfartyg framförs på eller i närheten av en flygplats ska befälhavaren:

- Ge akt på annan flygplatstrafik, så att det inte uppstår risk för kollision
- Följa eller helt undvika de trafikvarv som utförs av andra luftfartyg
- Starta och landa mot vinden, om inte en annan riktning är att föredra av säkerhetsskäl eller med hänsyn till bansystemets utformning eller övrig flygtrafik
- Utföra alla svängar åt vänster efter start och vid inflygning till landning, om inte annat föreskrivits
- Efter start från och vid landning vid flygplats där AFIS utövas, får luftfartyg svänga åt höger, om det kan ske utan fara för övrig flygtrafik och efter det att AFIS-enheten har informerats.

8.4.3 När AFIS-enheten är stängd, ska luftfartyget passa AFIS-enhetens publicerade radiofrekvens och genom blindändsändning meddela korta upplysningar, om position, flyghöjd och avsikt, som kan tjäna till ledning för andra luftfartyg för att undvika kollision.

## 8.5 Flygning inom TIZ och TIA

8.5.1 Vid vissa AFIS-flygplatser är trafikinformationsområde (TIA) och trafikinformationszon (TIZ) upprättade under AFIS-enhetens publicerade öppethållning (se AIP AD 2) och när denna enhet är i funktion utöver ordinarie öppethållningstid. ACC i berörd del av Sweden FIR lämnar på begäran uppgift om sådan extra öppethållningstid.

8.5.2 Färdplan/förkortad färdplan ska lämnas före flygning inom eller in i TIA och TIZ.

8.5.3 Före inpassering i TIA eller TIZ ska luftfartyget, om inte annat medgivits av AFIS-enheten, upprätta dubbelriktad radioförbindelse i så god tid att trafikinformation hinner inhämtas innan inpassering äger rum. Misslyckat försök att upprätta radioförbindelse med vederbörande AFIS-enhet får inte tolkas så att enheten inte är i tjänst.

8.5.4 Luftfartyg ska till vederbörande AFIS-enhet lämna upplysningar om position, flyghöjd, flygväg samt avsikter etc. Ändring av rapporterad flyghöjd eller flygväg får ej företas utan att ändringen först meddelats till och kvitterats av AFIS-enheten (gäller ej trafikvarvet).

8.5.5 I händelse av avbrott i radioförbindelse bör luftfartyget när så är tillämpligt följa de bestämmelser som gäller för kontrollerad flygning (Annex 2 para 3.6.5.2).

8.5.6 Under AFIS-enhetens öppethållning är flyginformationstjänsten och alarmeringstjänsten under TIA delegerad från ACC till AFIS-enheten.

## 8.4 Flying in the vicinity of an AFIS aerodrome

8.4.1 Aircraft must establish two-way radio communications with the AFIS unit.

8.4.2 When an aircraft operating over or near an aerodrome, the pilot in command shall:

- Pay attention to other airport traffic, so that there is no risk of collision
- Follow or completely avoid the traffic circuit performed by other aircraft
- Depart and land into the wind, unless a different direction is preferable for safety reasons or in view of the runway system design or other traffic
- Perform all turns to the left after take-off and during approach for landing, unless otherwise specified
- After departing from and landing at the aerodrome where AFIS is provided, an aircraft may turn to the right, if it can be done without danger to other traffic and after the AFIS unit has been informed.

8.4.3 When the AFIS unit is closed, the aircraft shall monitor that AFIS unit's published frequency and by blind transmitting communicate short information about position, altitude and intentions, which may serve to guide other aircraft to avoid collision.

## 8.5 Flying within TIZ and TIA

8.5.1 At some AFIS airports (TIA) Traffic Information Area and (TIZ) Traffic Information Zone are established under the AFIS unit's published operational hours (see AIP AD 2) and when this unit is in operation or in addition to regular opening hours. ACC in the affected part of Sweden FIR acting on the request details of such additional opening hours.

8.5.2 Flight plan/abbreviated flight plan must be submitted before flight within or into the TIA and TIZ.

8.5.3 Prior entering into a TIA or TIZ, the aircraft shall, unless otherwise agreed by AFIS unit, establish two-way radio communication in due time to allow traffic information to be obtained before entry. Unsuccessful attempt to establish radio contact with appropriate AFIS unit must not be interpreted as the unit is not in service.

8.5.4 Aircraft shall, to the appropriate AFIS unit, report position, altitude, flight path and intentions, etc. Changes to the reported altitude or flight path must not be done without a report to and acknowledged by the AFIS unit (not applicable to the traffic circuit).

8.5.5 An aircraft experiencing radio communication failure should, when applicable, comply with the rules in force for controlled flight (Annex 2 para 3.6.5.2).

8.5.6 During operational hours of AFIS units, the flight information and alerting service below TIA, is delegated from ACC to the AFIS unit.

## 8.6 Upplysningar till luftfartyg.

AFIS-enheten lämnar vid behov följande upplysningar till luftfartyg.

## 8.6.1 Meteorologiska upplysningar som rör:

- Markvindens riktning och hastighet, innefattande betydelsefulla variationer
- Rådande lufttryck (QNH och på begäran QFE)
- Lufttemperatur och daggpunkt till jet- och turbopropdrivet luftfartyg
- Sikt samt bansynvidd (RVR-värde) om tillämpligt
- Signifikanta väderförhållanden i in- och utflygningsriktning och
- Rådande väder.

## 8.6.2 Rätt tid

8.6.3 Aktuell information om förhållanden på manöverområdet och övriga delar av flygplatsen.

## 8.6.4 Genomgångsnivå.

## 8.6.5 Inställd ljusstyrka på högintensiva ljus.

## 8.7 Signaler till luftfartyg

## 8.7.1 Ljussignaler

Vid behov, när ett luftfartyg i luften inte på annat sätt kan varnas för fara, får följande signaler avges från AFIS-enheten till luftfartyget.

## 8.6 Information to aircraft.

When appropriate, the following information will be given to aircraft by AFIS unit.

## 8.6.1 Meteorological information concerning:

- Surface wind, direction and speed, including significant variations there from
- Altimeter setting (QNH and, on request QFE)
- Air temperature and dew point for jet and turboprop powered aircraft
- Visibility and runway visual range (RVR) if applicable
- Significant meteorological conditions in approach and take-off area, and
- Actual weather.

## 8.6.2 Correct time

## 8.6.3 Essential information on aerodrome conditions.

## 8.6.4 Transition level.

## 8.6.5 High intensity lights setting.

## 8.7 Signals to aircraft

## 8.7.1 Light signals

If an aircraft in flight cannot be warned otherwise of a hazard, the signals specified below may be given by the AFIS unit to the aircraft.

SIGNAL	INNEBÖRD/MEANING
- Serie av röda blinkar/Series of red flashes	- Flygplatsen olämplig för landning, landa inte/ Aerodrome unsafe, do not land
- Rött signalskott/Red pyrotechnic	- Landa tills vidare inte (oavsett tidigare upplysningar)/ Notwithstanding any previous information, do not land for the time being

## 8.7.2 Marksighaler

Marksighaler får vid behov läggas ut i enlighet med TSFS 2010:145 Bilaga 4 mom 4, med undantag av signalerna »Start- och landningsriktning» och »Högervarv».

## 8.8 Användning av pejl (VDF)

8.8.1 AFIS-enhet som är utrustat med godkänd VDF får använda denna för att;

a) kontrollera sannolikheten i luftfartygs positionsuppgift,

b) lämna upplysning om QTE, QDR eller QDM på luftfartygs begäran eller när det anses nödvändigt med hänsyn till flygsäkerheten.

## 8.7.2 Visual ground signals

Visual ground signals may be displayed, when required, in accordance with ICAO Annex 2 Appendix 1 para 4.2, except 4.2.5.1 (»Directions for landing or take-off») and 4.2.6 (»Right-hand-traffic»).

## 8.8 Use of direction-finding equipment (VDF)

8.8.1 An AFIS unit equipped with approved direction finding equipment (VDF) may use this to;

a) verify the reliability of aircraft position reports,

b) give information on QTE, QDR, or QDM, upon the aircraft's request or when considered necessary for flight safety reasons.

**8.9 Flygplatsljus**

8.9.1 För användning av flygplatsljusen gäller tillämpliga bestämmelser i ICAO Doc 4444, 7.15 samt svenska tilläggsföreskrifter.

**9 Trafikzoner (ATZ)**

Flygning inom trafikzon är tillåten endast i samband med start eller landning vid berörd flygplats.

En förteckning över ATZ återfinns i ENR 2.2.

**8.9 Aerodrome lighting**

8.9.1 For operation of the aerodrome lighting, the relevant procedures in ICAO Doc 4444, (para 7.15) and Swedish supplementary procedures apply.

**9 Aerodrome Traffic Zones (ATZ)**

Flight within an aerodrome traffic zone is permitted only in connection with take-off or landing at the aerodrome concerned.

A list of ATZ is published in ENR 2.2.

<b>10 Reducerade separationsminima mellan luftfartyg som använder samma bana</b>	<b>10 Reduced runway separation minima between aircraft using the same runway</b>
10.1 Allmänt	10.1 General
Reducerade separationsminima får tillämpas mellan startande och/eller landande luftfartyg vid svenska flygplatser enligt nedan. När förfarandet tillämpas, används frasen REDUCERAD SEPARATION.	Reduced runway separation minima may be applied at Swedish aerodromes between departing and/or landing aircraft as specified below. When the procedure is applied, the phrase REDUCED SEPARATION will be used.
10.2 När reducerade separationsminima används ska följande villkor vara uppfyllda:	10.2 Reduced runway separation minima shall be subject to the following conditions:
<ul style="list-style-type: none"> <li>• separationen får endast tillämpas i dagsljus, från 30 min efter soluppgång till 30 min innan solnedgång</li> <li>• separationsminima med avseende på risk för ändvirvlar ska följas</li> <li>• sikt vid marken ska vara minst 5 km och molntäckeshöjden lägst 1000 ft</li> <li>• medvindskomposanten får vara högst 5 kt</li> <li>• separationsminima ska bibehållas mellan två startande luftfartyg även direkt efter det att luftfartyg nummer två startat</li> <li>• trafikinformation ska ges till luftfartyg nummer två</li> <li>• bromsverkan får inte vara påverkad negativt av banavlagring såsom is, slask, snö och vatten.</li> </ul>	<ul style="list-style-type: none"> <li>• separation minima shall only be applied during the hours of daylight from 30 minutes after local sunrise to 30 minutes before local sunset</li> <li>• wake turbulence separation minima shall be applied</li> <li>• visibility shall be at least 5 km and ceiling shall not be lower than 1000 ft</li> <li>• tail wind component shall not exceed 5 kt</li> <li>• minimum separation shall continue to exist between two departing aircraft immediately after take-off of the second aircraft</li> <li>• traffic information shall be provided to the flight crew of the succeeding aircraft concerned</li> <li>• the braking action shall not be adversely affected by runway contaminations such as ice, slush, snow or water.</li> </ul>
<p><i>Anm. Uppmätt bromsverkan får ej underskrida 0,40 (GOD/GOOD).</i></p>	
10.3 Vid tillämpning av reducerade separationsminima ska luftfartyg delas in i:	10.3 For the purpose of reduced runway separation, aircraft shall be classified as follows:
<ul style="list-style-type: none"> <li>• Kategori 1: En-motor propeller luftfartyg med högsta tillåtna startvikt 2000 kg eller lägre</li> <li>• Kategori 2: En-motor propeller luftfartyg med en startvikt högre än 2000 kg men lägre än 7000 kg och två-motor propeller luftfartyg med en startvikt lägre än 7000 kg</li> <li>• Kategori 3: Alla övriga luftfartyg</li> </ul>	<ul style="list-style-type: none"> <li>• Category 1 aircraft: Single-engine propeller aircraft with a maximum certificated take-off mass of 2000 kg or less</li> <li>• Category 2 aircraft: Single-engine propeller aircraft with a maximum certificated take-off mass of more than 2000 kg but less than 7000 kg; and twin-engine propeller aircraft with a maximum certificated take-off mass of less than 7000 kg</li> <li>• Category 3 aircraft: All other aircraft.</li> </ul>
10.4 Följande minimiseparationer får tillämpas:	10.4 The separation to be applied shall in no case be less than the following minima:
<p><i>Anm. Vid användning av dessa minimiseparationer, ska extra hänsyn tas till luftfartygs prestanda.</i></p>	
<p><i>Note. When using following minimas, consideration should be given to the performance of aircraft concerned.</i></p>	

## Landande luftfartyg:

- a) bakomvarande landande kategori 1 luftfartyg får passera tröskeln när framförvarande kategori 1 eller 2 luftfartyg:
- har landat och passerat en punkt minst 600 m från tröskeln samt är under utrullning; eller
  - har startat och passerat en punkt minst 600 m från tröskeln.
- b) bakomvarande landande kategori 2 luftfartyg får passera tröskeln när framförvarande kategori 1 eller 2 luftfartyg:
- har landat och passerat en punkt minst 1500 m från tröskeln samt är under utrullning; eller
  - har startat och passerat en punkt minst 1500 m från tröskeln.
- c) bakomvarande landande kategori 1, 2 eller 3 luftfartyg får passera tröskeln när framförvarande kategori 3 luftfartyg:
- har landat och passerat en punkt minst 2400 m från tröskeln samt är under utrullning; eller
  - har startat och passerat en punkt minst 2400 m från tröskeln.

## Startande luftfartyg:

- a) startklarering får lämnas för ett kategori 1 luftfartyg när framförvarande kategori 1 eller 2 luftfartyg är i luften och har passerat en punkt minst 600 m från efterföljandes startposition
- b) startklarering får lämnas för ett kategori 2 luftfartyg när framförvarande kategori 1 eller 2 luftfartyg är i luften och har passerat en punkt minst 1500 m från efterföljandes startposition
- c) startklarering får lämnas för ett luftfartyg när framförvarande kategori 3 luftfartyg är i luften och har passerat en punkt minst 2400 m från efterföljandes startposition.

## Landing aircraft:

- a) a succeeding landing Category 1 aircraft may cross the runway threshold when the preceding aircraft is a Category 1 or 2 aircraft which either:
- has landed and passed a point at least 600 m from the threshold of the runway and is in motion, or
  - is airborne and has passed a point at least 600 m from the threshold of the runway.
- b) a succeeding landing Category 2 aircraft may cross the runway threshold when the preceding aircraft is a Category 1 or 2 which either:
- has landed and passed a point at least 1500 m from the threshold of the runway and is in motion, or
  - is airborne and has passed a point at least 1500 m from the threshold of the runway.
- c) a succeeding landing aircraft may cross the runway threshold when a preceding Category 3 aircraft:
- has landed and passed a point at least 2400 m from the threshold of the runway and is in motion; or
  - is airborne and has passed a point at least 2400 m from the threshold of the runway.
- Departing aircraft:
- a) a Category 1 aircraft may be cleared for take-off when the preceding departing aircraft is a Category 1 or 2 aircraft which is airborne and has passed a point at least 600 m from the position of the succeeding aircraft
- b) a Category 2 aircraft may be cleared for take-off when the preceding departing aircraft is a Category 1 or 2 aircraft which is airborne and has passed a point at least 1500 m from the position of the succeeding aircraft
- c) an aircraft may be cleared for take-off when a preceding departing Category 3 aircraft is airborne and has passed a point at least 2400 m from the position of the succeeding aircraft.

**11 Helikopterflygplatser**

Helikopterflygplatser definierade enligt ICAO Annex 15 AD 3 finns inte etablerade i Sverige.  
Nedanstående förteckning innehåller godkända helikopterflygplatser.

**11 Heliports**

Heliports as defined in ICAO Annex 15 AD 3 are not established in Sweden.  
The following list includes licensed non-instrument heliports.

HELIPORT Location Indicator Coordinates (ARP) Elevation (ft)	Dimensions (m)	Surface Bearing strength (Tonnes) Types E=Elevated H=Helideck S=Surface-level W=Water	Light	ATS Fuel	COM FREQ (MHz)	Category Owner/Operator TEL Fax Regulations and restrictions Remarks
BORÄS/Borås sjukhus ESEB 574328N 0125801E (*) 597 ft	TLOF Ø 24 FATO Ø 24	ASPH - - ASPH - -	Yes	-	-	Non-licensed helicopter AD County council +46 (0)33 616 50 00 <b>PPR</b> 15 min PN SOS Rescue Coordination Centre +46 (0)31 703 15 80 Ambulance and rescue flights only.
GUSTAVSBERG-MÖLNVIK ESJG 591852N 0182541E 69 ft	TLOF Ø 27 FATO Ø 27	ASPH - - ASPH - -	Yes	Jet A1	130.175	Licensed helicopter AD Municipal Operator: Scandinavian Medicopter AB +46 (0)8 570 341 11 <b>PPR</b> Ambulance, rescue and Police flights only.
GÄLLIVARE/Vassara ESEG 670812N 0203755E (*) 1160 ft	TLOF Ø 5.4 FATO Ø 28.5	ASPH - - ASPH - -	Yes	Jet A1 O/R	-	Non-licensed helicopter AD Municipal Operator: AB Norrlandsflyg +46 (0)970 140 65 <b>PPR</b>
GÖTEBORG/Sahlgrenska sjukhuset ESHS 574100N 0115723E (*) 180 ft	TLOF 28x28 FATO Ø 28	CONC - - CONC - -	Yes	-	-	Licensed helicopter AD County council +46 (0)31 41 64 70 <b>PPR</b> 15 min PN SOS Rescue Coordination Centre +46 (0)31 703 15 80 Ambulance and rescue flights only.
GÖTEBORG/Östra sjukhuset ESHB 574315N 0120254E 136 ft	TLOF Ø 24 FATO Ø 24	ASPH - - ASPH - -	Yes	-	-	Licensed helicopter AD County council +46 (0)31 343 67 99 <b>PPR</b> 15 min PN SOS Rescue Coordination Centre +46 (0)31 703 15 80 Ambulance and rescue flights only. Obstacle limitation surface 120°-300° obstacle clearance 4.5% 310°-130° obstacle clearance 8%
HUDIKSVALL/Sjukhuset ESHX 614353N 0170613E (*) 73 ft	TLOF 22.4x24 FATO 22.4x24	CONC - - CONC - -	Yes	-	-	Licensed helicopter AD County council +46 (0)650 920 00 +46 (0)650 922 61 Ambulance and rescue flights only.
JÖNKÖPING/Ryhov sjukhus ESHJ 574553N 0141140E 346 ft	TLOF Ø 12 FATO Ø 24	CONC/ASPH - - CONC/ASPH - -	Yes	-	-	Licensed helicopter AD County council <b>PPR</b> 15 min PN SOS Rescue Coordination Centre +46 (0)36 13 00 03 Ambulance and rescue flights only.

HELIPORT	Dimensions (m)	Surface Bearing strength (Tonnes) Types E=Elevated H=Helideck S=Surface-level W=Water	Light	ATS Fuel	COM FREQ (MHz)	Category Owner/Operator TEL Fax Regulations and restrictions Remarks
KARLSKRONA/Blekingesjukhuset ESHN 561100N 0153632E 90 ft	TLOF Ø 9 FATO Ø 24	ASPH - - ASPH -	Yes	-	-	Licensed Helicopter AD County council Lights switched on by SOS Rescue Coordination Centre. +46 (0)455 73 10 00 Ambulance and rescue flights only.
KARLSTAD/Centralsjukhuset ESHV 592237N 0132844E (*) 157 ft	TLOF Ø 28 FATO Ø 28	ASPH - - ASPH -	Yes	-	-	Licensed helicopter AD County council +46 (0)54 61 50 00 <b>PPR</b> 60 min PN SOS Rescue Coordination Centre +46 (0)54 83 34 50 Ambulance and rescue flights only.
KIRUNA/Luossajärvi ESEK 675136N 0201225E (*) 1550 ft	TLOF Ø 5.4 FATO Ø 60	Gravel - - Gravel -	No	Jet A1 O/R	-	Non-licensed helicopter AD Private Operator: Kallax Flyg AB +46 (0)911 25 10 30 <b>PPR</b>
KRISTIANSTAD/Centralsjukhuset ESHI 560145N 0141018E 7 ft	TLOF Ø 20 FATO Ø 20	ASPH - - ASPH -	Yes	-	-	Non-licensed helicopter AD County council +46 (0)44 39 10 00 <b>PPR</b> 30 min PN Rescue Coordination Centre SOS Alarm +46 (0)40 676 98 15 Ambulance and rescue flights only.
KUNGÄLV/Kungälvs sjukhus ESHM 575238N 0115805E 36 ft	TLOF Ø 24 FATO Ø 24	ASPH - - ASPH -	Yes	-	-	Non-licensed helicopter AD County council +46 (0)30 39 80 00 <b>PPR</b> 15 min PN SOS Rescue Coordination Centre +46 (0)31 703 15 80 Ambulance and rescue flights only.
LINKÖPING/Universitetssjukhuset ESEL 582400N 0153701E (*) 237 ft	TLOF Ø 24 FATO Ø 24	CONC/ASPH - - CONC/ASPH -	Yes	-	-	Licensed helicopter AD County council +46 (0)13 22 20 00 <b>PPR</b> 30 min PN, +46 (0)11 14 96 30 Ambulance and rescue flights only. Obstacle limitation surface 048°-228° obstacle clearance 8%-15% 108°-228° obstacle clearance 8%-15%
LULEÅ/Sunderby sjukhuset ESES 654021N 0215609E (*) 36 ft	TLOF 28x28 FATO 28x28	ASPH - - ASPH -	Yes	-	-	Licensed helicopter AD County council +46 (0)920 28 40 00 <b>PPR</b> 30 PN SOS Rescue Coordination Centre +46 (0) 920 22 02 75 Ambulance and rescue flights only.
LUND/Universitetssjukhuset ESEM 554242N 0131156E (*) 352 ft	TLOF Ø 29.3 FATO Ø 29.3	CONC - - CONC -	Yes	-	-	Licensed helicopter AD County council +46 (0)46 17 10 00 (exch) <b>PPR</b> 15 min PN SOS Rescue Coordination Centre +46 (0)40 676 98 15 Ambulance and rescue flights only.

HELIPORT Location Indicator Coordinates (ARP) Elevation (ft)	Dimensions (m) TLOF Ø 29 FATO Ø 29	Surface Bearing strength (Tonnes) Types E=Elevated H=Helideck S=Surface-level W=Water	Light	ATS Fuel	COM FREQ (MHz)	Category Owner/Operator TEL Fax Regulations and restrictions Remarks
LYCKSELE/Sjukhuset ESEY 643511N 0184105E (*) 742 ft	TLOF Ø 29 FATO Ø 29	ASPH - - ASPH - -	Yes	-	-	Licensed helicopter AD County council +46 (0)950 397 40 <b>PPR</b> Ambulance and rescue flights only.
NORRTÄLJE/Sjukhuset ESHY 594528N 0184121E 61 ft	TLOF Ø 19.8 FATO Ø 19.8	CONC - - CONC - -	Yes	-	123.325	Licensed helicopter AD County council +46 (0)176 32 60 00 (exch) +46 (0)176 32 61 15 www.tiohundra.se/heliport <b>PPR</b> 15 min PN SOS Rescue Coordination Centre +46(0)8 45 42 362 Ambulance and rescue flights only.
SKÖVDE/Kärnsjukhuset ESHO 582531N 0135053E 490 ft	TLOF Ø 24 FATO Ø 24	ASPH - - ASPH - -	Yes	-	-	Non-licensed helicopter AD County council +46 (0)500 43 10 00 <b>PPR</b> 15 min PN SOS Rescue Coordination Centre +46 (0)31 703 15 80 Ambulance and rescue flights only.
STOCKHOLM/Danderyds sjukhus ESHD 592329N 0180148E (*) 5 ft	TLOF Ø 17.5 FATO 12x11	ASPH - - ASPH - -	Yes	-	122.875	Non-licensed helicopter AD County council +46 (0)8 123 550 00 <b>PPR</b> 15 min PN SOS Rescue Coordination Centre +46 (0)8 454 23 62 Ambulance and rescue flights only.
STOCKHOLM/Gamla Stan ESHG 591938N 0180413E 3 ft	TLOF 15x8 FATO 15x8	CONC - - CONC - -	No	-	-	Non-licensed helicopter AD Private Operator: Arlanda Helicopter AB +46 (0)8 593 602 08 <b>PPR</b>
STOCKHOLM/Huddinge sjukhus ESHL 591311N 0175603E 264 ft	TLOF Ø 9.3 FATO Ø 29.3	CONC - - CONC - -	Yes	-	122.875	Licensed helicopter AD County council +46 (0)8 585 809 03 +46 (0)8 585 800 92 <b>PPR</b> 10 min PN SOS Rescue Coordination Centre +46 (0)8 45 42 362 Ambulance and rescue flights only. www.karolinska.se/verksamheternas/ administration/sakerhetsavdelningen
STOCKHOLM/Karolinska sjukhuset ESHK 592116N 0180212E (*) 150 ft	TLOF 9x9 FATO Ø 28	CONC - - CONC - -	Yes	-	-	Licensed helicopter AD County council +46 (0)8 517 747 85 <b>PPR</b> 10 min PN SOS Rescue Coordination Centre +46 (0)8 45 42 362 Ambulance and rescue flights only. www.karolinska.se/verksamheternas/ administration/sakerhetsavdelningen
STOCKHOLM/Södersjukhuset ESHC 591830N 0180317E 136 ft	TLOF 9x9 FATO Ø 28	CONC - - CONC - -	Yes	-	-	Licensed helicopter AD County council +46 (0)8 616 10 00 (exch) <b>PPR</b> 10 min PN SOS Rescue Coordination Centre +46 (0)8 45 42 362 Ambulance and rescue flights only. www.sodersjukhuset.se/heliport

HELIPORT	Dimensions (m)	Surface Bearing strength (Tonnes) Types E=Elevated H=Helideck S=Surface-level W=Water	Light	ATS Fuel	COM FREQ (MHz)	Category Owner/Operator TEL Fax Regulations and restrictions Remarks
SUNDSVALL/Länssjukhuset ESED 622429N 0171808E 312 ft	TLOF Ø 8.7 FATO 17.2x16.2	ASPH - - ASPH -	Yes	-	-	Non-licensed helicopter AD County council +46 (0) 611 80 000 <b>PPR</b> 60 min PN Länssjukhuset Sundsvall +46 (0)60 18 10 00 (exch) Ambulance and rescue flights only.
SÖDERHAMN/Sjukhuset ESHF 611800N 0170300E (*) 92 ft	TLOF Ø 10 FATO Ø 34	ASPH - - ASPH -	Yes	-	-	Non-licensed helicopter AD County council +46 (0)270 771 31 Ambulance and rescue flights only.
TORSBY/Torsby sjukhus ESET 600812N 0125951E (*) 335 ft	TLOF Ø 24 FATO Ø 24	CONC/ASPH - - CONC/ASPH -	Yes	-	-	Non-licensed helicopter AD County council +46 (0)560 712 04 <b>PPR</b> 60 min PN Unmanned SOS Rescue Coordination Centre +46 (0)54 83 34 50 Ambulance and rescue flights only.
TROLLHÄTTAN/NÄL sjukhus ESEN 581900N 0121620E (*) 312 ft	TLOF Ø 24 FATO Ø 24	ASPH - - ASPH -	Yes	-	-	Licensed helicopter AD County council +46 (0)521 910 00 <b>PPR</b> 15 min PN SOS Rescue Coordination Centre +46 (0)31 703 15 80 Ambulance and rescue flights only.
UDDEVALLA/Sjukhuset ESEU 582124N 0115554E (*) 66 ft	TLOF Ø 24 FATO 20x24	ASPH - - ASPH -	Yes	-	-	Non-licensed helicopter AD County council +46 (0)522 920 00 <b>PPR</b> 15 min PN SOS Rescue Coordination Centre +46 (0)31 703 15 80 Ambulance and rescue flights only.
UMEÅ/Universitetssjukhuset ESHZ 634904N 0201807E (*) 133 ft	TLOF Ø 28.1 FATO Ø 28.1	CONC - - CONC -	Yes	-	-	Licensed helicopter AD County council +46 (0)90 785 34 21 +46 (0)90 785 34 06 Ambulance and rescue flights only.
UPPSALA/Akademiska sjukhuset ESHU 595050N 0173825E (*) 172 ft	TLOF Ø 28.1 FATO Ø 28.1	CONC - - CONC -	Yes	-	-	Licensed helicopter AD County council +46 (0)18 611 00 00 Ambulance and rescue flights only. 30 min PN before ARR TEL +46 (0)770 27 03 28 <a href="http://www.lul.se/sv/Landstingspolitik/Helikopterflygplatz">www.lul.se/sv/Landstingspolitik/Helikopterflygplatz</a>
VISBY/Sjukhuset ESEV 573900N 0181803E (*) 26 ft	TLOF Ø 28.1 FATO Ø 28.1	CONC/ASPH - - CONC/ASPH -	Yes	-	-	Licensed helicopter AD Municipal +46 (0)498 20 35 55 <b>PPR</b> 30 min PN Ambulance and SAR OPS: SOS 112. Ambulance and rescue flights only.

HELIPORT Location Indicator Coordinates (ARP) Elevation (ft)	Dimensions (m)	Surface Bearing strength (Tonnes) Types E=Elevated H=Helideck S=Surface-level W=Water	Light	ATS Fuel	COM FREQ (MHz)	Category Owner/Operator TEL Fax Regulations and restrictions Remarks
VÄSTERÅS/Västmanlands sjukhus ESEW 593700N 0163500E 103 ft	TLOF Ø 20 FATO Ø 20	ASPH - - ASPH - -	Yes	-	-	Non-licensed Helicopter AD County council +46 (0)21 17 30 00 <b>PPR</b> 30 min PN Rescue Coordination Centre Medhelp +46 (0)21 30 01 65 Ambulance and rescue flights only.
ÅKERSBERGA ESHR 592908N 0181618E (*) 5 ft	TLOF 10x10 FATO 25x25	CONC - - Grass - -	Yes	-	122.100	Licensed helicopter AD Municipal Operator: Arlanda Helicopter AB +46 (0)8 593 602 08 <b>PPR</b>
ÖREBRO/Universitetssjukhuset ESHQ 591629N 0151344E (*) 165 ft	TLOF Ø 28.1 FATO Ø 28.1	CONC - - CONC - -	Yes	-	122.875	Licensed helicopter AD County council +46 (0)19 602 13 20 Ambulance and rescue flights only.

## 12 Förteckning över flygplatser

## 12 Aerodrome directory

AERODROME Location Indicator Coordinates (ARP) Location Elevation (ft)	RWY	Dimensions (m)	Surface	Light	ATS Fuel	COM FREQ (MHz)	Category Owner/Operator TEL Fax Regulations and restrictions Remarks
ALINGSÅS ESGI 575659N 0123441E (*) 1.8 NM NE 226 ft	01/19	600x30	Grass	No	100LL	123.650	Non-licensed AD Alingsås flygklubb +46 (0)322 148 87 +46 (0)322 63 31 98
ARBOGA ESQO 592318N 0155515E (*) 2 NM SE 33 ft	15/33	2000x40	ASPH	No	-	123.150	Non-licensed AD SAAB +46 (0)589 800 00 <b>PPR</b> Limited fire fighting, rescue and handling service O/R Glider flying
ARBRÄ ESUB 613045N 0162221E (*) 1.5 NM N 378 ft	18/36	700x30	Grass	No	91/96	123.200	Non-licensed AD Arbrä flygklubb +46 (0)278 454 54 +46 (0)705 84 07 00
ARVIDSJOUR ESNX Details, see AD 2	12/30	2500x45	ASPH	Yes	TWR/AFIS	Yes	Licensed, instrument AD Municipal
ARVIKA ESKV 594030N 0123822E NE 2 NM from Arvika 237 ft	01/19	1150x30	ASPH	Yes	100LL	122.350	Non-licensed AD Arvika flygklubb +46 (0)705 42 31 91 +46 (0)702 52 45 45 <b>PPR</b> Credit cards accepted for payment of fuel. info@arvikaflygklubb.se
AVESTA ESVA 601049N 0160722E (*) 2.6 NM NNW 320 ft	15/33	850x40	Grass	No	91/96	123.550	Non-licensed AD Avesta flygklubb +46 (0)226 221 23 +46 (0)226 128 86 +46 (0)703 35 10 55 +46 (0)225 222 26 THR 15 displaced 50 m Glider flying
BORGGLANDA ESMB 565147N 0163922E (*) 0.7 NM SW Borgholm 118 ft	03/21	625x50	Grass	No	-	123.550	Non-licensed AD Municipal +46 (0)485 104 00 (AD) +46 (0)706 62 07 95 <b>PPR OCT-APR</b> Right hand traffic circuit to RWY 03.
BORLÄNGE ESSD Details, see AD 2	14/32 12/30	2313x45 720x50	ASPH Grass	Yes No	TWR	Yes	Licensed, instrument AD Municipal

AERODROME Location Indicator Coordinates (ARP) Location Elevation (ft)	RWY	Dimensions (m)	Surface	Light	ATS Fuel	COM FREQ (MHz)	Category Owner/Operator TEL Fax Regulations and restrictions Remarks
BORÅS/Viared ESGE 574145N 0125042E (*) 3.5 NM SW 588 ft	04L/22R 04R/22L	800x18 800x50	ASPH Grass	Yes No	100LL 91/96UL Jet A1 100LL 91/96UL Jet A1	123.525	Licensed AD Municipal OPR Borås flygplatsförening +46 (0)708 15 86 11 <b>PPR</b> during NOV-APR Flying activity only permitted : MON-THU 0600-2100 (0500-2000) FRI 0600-1900 (0500-1800) SAT-SUN SEP-MAY 0700-1900 (0600-1800) SAT-SUN JUN-AUG 0700-1700 (0600-1600). Flying activity are not allowed Good Friday, Easter Eve, Whitsun Eve, Whitsunday, Midsummer Eve, first connected SAT-SUN in JUL, Christmas Eve, Christmas Day and Day after Christmas Day. Landing with gliders excepted from hours and days above. Grass surface soft at precipitation. For gliders right hand traffic circuit to RWY 04R. PCL on freq 123.525 MHz, 10 sec duration. After take-off RWY 22R/L turn left immediately.
BRATTFORSHEDEN ESSM 593630N 0135444E (*) 588 ft	08/26	800x50	Grass	Yes	100LL O/R	-	Non-licensed AD Brattforshedens flygklubb +46 (0)553 210 71 APR-OCT extensive winchlaunching of gliders.
BUNGE ESVB 575100N 0190218E (*) 0.5 NM SE 66 ft	09/27 16/34	675x30 675x30	ASPH ASPH	No No	-	123.400	Non-licensed AD Private +46 (0)498 22 11 92 +46 (0)702 15 30 00 <b>PPR</b>
DALA-JÄRNA ESKD 603322N 0142238E (*) 5 NM ENE Vansbro 773 ft	03/21	900x24	ASPH	Yes	100LL	123.350	Non-licensed AD Västerdalarnas flygklubb +46 (0)281 203 82 +46 (0)281 202 60 THR 03 displaced 100 m.
EDSBYN ESUY 612313N 0155000E (*) 1 NM NE 515 ft	11/29	700x40	Grass	No	80/87	123.550	Non-licensed AD Edsbyn flygklubb +46 (0)271 211 50 +46 (0)271 222 14 THR 11 displaced 160 m.
EKSHÄRAD ESKH 600917N 0133143E (*) 1.5 NM SSE 460 ft	15/33	540x45	Grass	No	100LL	123.450	Non-licensed AD Ekshärad flygklubb +46 (0)563 404 66 +46 (0)563 400 01 THR 15 displaced 115 m.

AERODROME Location Indicator Coordinates (ARP) Location Elevation (ft)	RWY	Dimensions (m)	Surface	Light	ATS Fuel	COM FREQ (MHz)	Category Owner/Operator TEL Fax Regulations and restrictions Remarks
EKSJÖ/Ränneslätt ESMC 573959N 0145649E (*) 0.5 NM W 720 ft	01/19	1000x30	Grass	No	100LL	123.450	Non-licensed AD Norra Smålands flygklubb +46 (0)381 160 50 <b>PPR</b> TEL +46 (0)381 180 00 (I12) THR 01 displaced 200 m. THR 19 displaced 120 m. Right hand traffic circuit to RWY 01. Within ES R39
EMMABODA ESMA 563640N 0153623E (*) 442 ft	01/19	1300x30	ASPH	No	-	123.150	Non-licensed AD Municipal +46 (0)70 650 73 46 THR 01 displaced 650 m. Limited availability as AD used for car driving practices. Fence height 2 m 110 m before THR 19. <b>PPR</b>
ESKILSTUNA ESSU Details, see AD 2	18/36	1886x35	ASPH/ CONC	Yes	AFIS	Yes	Licensed, instrument AD Municipal
ESKILSTUNA/Ekeby ESSC 592302N 0162631E (*) 43 ft	05/23	850x150	Grass	No	91/96	123.200	Non-licensed AD Municipal +46 (0)16 51 34 89 +46 (0)16 14 03 57 Fax +46 (0)16 51 34 77 For gliding only <b>PPR</b>
ESLÖV ESME 555054N 0131952E 1 NM NE 296 ft	12/30 06/24	799x20 450x30	ASPH Grass	No No	100LL O/R	123.150	Non-licensed AD Municipal +46 (0)705 54 70 00 THR 06 displaced 90 m. <b>PPR</b> for take-off/landing exercises by visiting ACFT, +46 (0)705 54 70 00. RWY 06/24 not to be used for repeated take-off/landing exercises. Right hand traffic circuit when RWY 24 and 30 is in use.
FAGERHULT ESMF 562316N 0132814E (*) 1 NM N 378 ft	17/35	530x30	Grass	No	-	-	Non-licensed AD Skånes Fagerhults flygklubb +46 (0)433 124 42 +46 (0)706 22 34 16 THR 17 displaced 100 m THR 35 displaced 30 m
FALKENBERG/Morup ESGF 565817N 0122321E (*) 36 ft	09/27	700x30	Grass	Yes	100LL	123.350	Non-licensed AD Falkenbergs flygklubb +46 (0)346 944 80 +46 (0)346 943 13
FALKÖPING ESGK Details, see AD 2	04/22	1316x30	ASPH	Yes	AFIS	Yes	Licensed, instrument AD Municipal

AERODROME Location Indicator Coordinates (ARP) Location Elevation (ft)	RWY	Dimensions (m)	Surface	Light	ATS Fuel	COM FREQ (MHz)	Category Owner/Operator TEL Fax Regulations and restrictions Remarks
FJÄLLBACKA ESTF 583749N 0111813E (*) 1.5 NM NNE 6 ft	06/24	800x30	Grass	Yes	100 LL	123.200	Non-licensed AD Municipal +46 (0)525 180 00 (Exch) +46 (0)525 106 65 +46 (0)705 12 49 35 Fax +46 (0)525 616 17 <b>PPR</b> 1 SEP - 30 APR
GAGNEF ESVG 603303N 0150441E (*) 2.7 NM S 575 ft	08/26	600x30	Grass	No	-	123.550	Non-licensed AD Gagnef-Mockfjärds flygklubb +46 (0)241 511 40 +46 (0)705 90 40 76 Right hand traffic circuit to RWY 08.
GARGNÄS ESUG 651819N 0175832E (*) 0.3 NM SE 980 ft	17/35	940x30	Grass	No	100LL	123.450	Non-licensed AD Municipal +46 (0)952 213 29 +46 (0)952 212 08 +46 (0)706 07 27 32 <b>PPR</b> THR 17 displaced 50 m THR 35 displaced 90 m Right hand traffic circuit to RWY 35.
GRYTBJOM ESKG 601710N 0172546E (*) 4.5 NM SW Tierp 105 ft	18/36	900x30	Grass	No	91/96 Jet A1	123.400	Non-licensed AD Stockholms fallskärmsklubb +46 (0)293 500 60 +46 (0)293 502 51 Right hand traffic circuit to RWY 36. MAY-OCT intensive parachute jumping. Rough RWY surface
GÄLLIVARE ESNG Details, see AD 2	12/30	1714x45	ASPH	Yes	AFIS	Yes	Licensed, instrument AD Municipal
GÄVLE ESSK Details, see AD 2	18/36	2000x45	ASPH	Yes	AFIS	Yes	Licensed, instrument AD Municipal
GÖTEBORG/Landvetter ESGG Details, see AD 2	03/21	3299x45	ASPH	Yes	TWR	Yes	Licensed, instrument AD Swedavia AB
GÖTEBORG/Säve ESGP Details, see AD 2	01/19	2039x45	ASPH	Yes	TWR/AFIS	Yes	Licensed, instrument AD Municipal
GÖTENE/Brännebrona ESGN 583443N 0133638E (*) 4.3 NM NE Götene 259 ft	12/30	600x40	Grass	No	91/96	123.400	Non-licensed AD Brännebrona flygklubb +46 (0)511 532 84 +46 (0)707 98 19 94
HAGFORS ESOH Details, see AD 2	18/36	1509x30	ASPH	Yes	AFIS	Yes	Licensed, instrument AD Municipal

AERODROME Location Indicator Coordinates (ARP) Location Elevation (ft)	RWY	Dimensions (m)	Surface	Light	ATS Fuel	COM FREQ (MHz)	Category Owner/Operator TEL Fax Regulations and restrictions Remarks
HAGSHULT ESMV 571732N 0140814E (*) 7 NM NNE Värnamo 555 ft	04/22	2050x40	ASPH	Yes	-	136.250	MIL, non-licensed AD Military +46 (0)457 47 10 00 <b>PPR</b> Ronneby Airport Manager F17 TEL +46 (0)457 47 10 00
HALLVIKEN ESNA 634418N 0152732E (*) 8 NM SSW Strömsund 1119 ft	14/32	1000x20	ASPH	No	100LL 91/96UL	123.550	Non-licensed AD Municipal +46 (0)670 400 86 THR 14 displaced 200 m.
HALMSTAD ESMT Details, see AD 2	01/19	2261x40	ASPH	Yes	TWR	Yes	Licensed, instrument AD Municipal
HEDE/Hedlanda ESNC 622432N 0134450E (*) 6 NM E 1460 ft	06/24	1175x33	ASPH	No	100LL	123.150	Non-licensed AD Hedlanda Flygförering +46 (0)684 120 92 (AD) +46 (0)684 66 85 90
HEMAVAN TÄRNABY ESUT Details, see AD 2	15/33	1444x30	ASPH	Yes	AFIS	Yes	Licensed, instrument AD Municipal
HERRLJUNGA ESGH 580146N 0130629E (*) 3.8 NM SE 480 ft	18/36	900x70	Grass	No	100LL	123.650	Non-licensed AD Herrljunga flygklubb +46 (0)513 230 29 +46 (0)513 502 19 THR 18 displaced 75 m. THR 36 displaced 135 m.
HUDIKSVALL ESNH 614606N 0170450E (*) 2.7 NM NNW 95 ft	12/30	1320x30	ASPH	No	Jet A1 O/R	123.200	Non-licensed AD Airlift Helicopter Sweden AB +46 (0)650 165 00 +46 (0)703 92 40 48 <b>PPR</b> THR 12 displaced 89 m. THR 30 displaced 180 m. Motor activities on RWY may occur.
HULTSFRED-VIMMERBY ESSF 573133N 0154924E NNW 2 NM Hultsfred 365 ft	12/30	1945x40	CONC	Yes	100LL O/R Jet A1 O/R	124.050	Non-licensed AD Private +46 (0)495 100 10 <b>PPR</b> PCL by 5 pulses of aprx 1 sec duration on freq 124.050 MHz.
HÄLLEFORS ESVH 595203N 0142525E (*) 6 NM NW 600 ft	18/36	720x15	Gravel	No	100LL	123.150	Non-licensed AD Hällefors flygklubb +46 (0)591 170 82 (AD) +46 (0)591 121 90 THR 18 displaced 130 m. THR 36 displaced 180 m. Right hand traffic circuit to RWY 36.

AERODROME Location Indicator Coordinates (ARP) Location Elevation (ft)	RWY	Dimensions (m)	Surface	Light	ATS Fuel	COM FREQ (MHz)	Category Owner/Operator TEL Fax Regulations and restrictions Remarks
HÄRNÖSAND/Myran ESUH 623801N 0175853E (*) 271 ft	10/28	800x23	Gravel	No	100LL	123.450	Non-licensed AD Härnösand flygklubb +46 (0)611 167 60 +46 (0)611 186 44 +46 (0)611 155 26 +46 (0)611 229 96 Right hand traffic circuit to RWY 28.
HÄSSLEHOLM/Bokeberg ESFA 560801N 0135244E (*) 3.8 NM ESE 105 ft	04/22	830x40	Grass	No	91/96UL	123.600	Non-licensed AD Hässleholm flygklubb +46 (0)44 853 64 THR 22 displaced 120 m.
HÖGANÄS ESMH 561105N 0123433E (*) 1 NM SE 21 ft	14/32 06/24	800x50 510x50	Grass Grass	Yes No	100LL 91/96 UL Jet A1 100LL 91/96 UL Jet A1	123.550	Non-licensed AD Nordvästra Skånes Flygklubb +46 (0)42 34 29 80 (AD) +46 (0)707 90 42 88 THR 24 displaced 100 m. THR 32 displaced 100 m during darkness. Right hand traffic circuit to RWY 06 and 32. Lighted obstacle 194 ft GND W THR 06.
IDRE ESUE 615211N 0124122E 1 NM NW 1480 ft	15/33	1558x30	ASPH	Yes	-	-	Non-licensed AD Private +46 (0)706 74 04 45 THR 15 displaced 591 m. Right hand traffic circuit to RWY 33.
JOKKMOKK ESNJ 662948N 0200851E 10 NM SE 901 ft	14/32	2000x25	ASPH	Yes	-	124.850	MIL, non-licensed AD Military <b>PPR</b> 72 HR TEL: +46 (0)920 23 43 02
JÖNKÖPING ESGJ Details, see AD 2	01/19 11/29	2203x45 601x25	ASPH Grass	Yes No	TWR	Yes	Licensed, instrument AD Municipal
KALIXFORS ESUK 674555N 0201544E (*) 1550 ft	17/35 05/23 11/29	1200x40 900x40 880x40	ASPH ASPH ASPH	No No No	-	-	MIL, non-licensed AD Military +46 (0)980 120 70 <b>PPR</b>
KALMAR ESMQ Details, see AD 2	16/34 05/23	2320x45 656x40	ASPH ASPH	Yes No	TWR/APP	Yes	Licensed, instrument AD Municipal
KARLSBORG ESIA Details, see AD 2	06/24	2289x40	ASPH	Yes	TWR	Yes	MIL, non-licensed AD FM/Swedish Armed Forces

AERODROME Location Indicator Coordinates (ARP) Location Elevation (ft)	RWY	Dimensions (m)	Surface	Light	ATS Fuel	COM FREQ (MHz)	Category Owner/Operator TEL Fax Regulations and restrictions Remarks
KARLSKOGEN ESKK 592040N 0142941E 1.5 NM NNW 400 ft	03/21	1499x30	ASPH	Yes	100LL Jet A1	122.550	Non-licensed AD Private +46 (0)586 533 60 Fax +46 (0)586 517 31 <b>PPR</b> Right hand traffic circuit to RWY 21. Other motor and glider activity may occur.
KARLSTAD ESOK Details, see AD 2	03/21	2516x45	ASPH	Yes	TWR	Yes	Licensed, instrument AD Municipal
KATRINEHOLM ESVK 590120N 0161313E (*) 1 NM N 132 ft	15/33	700x40	Grass	No	91/96	123.200	Non-licensed AD Katrineholm flygklubb +46 (0)150 150 72 (AD) +46 (0)705 40 01 93 +46 (0)702 74 16 54 <b>PPR</b> THR 33 displaced 100 m. Right hand traffic circuit for powered aircraft when RWY 33 is in use.
KIRUNA ESNQ Details, see AD 2	03/21	2502x45	ASPH	Yes	TWR	Yes	Licensed, instrument AD Swedavia AB
KRAMFORS-SOLLEFTEÅ ESNK Details, see AD 2	17/35	2001x45	ASPH	Yes	AFIS	Yes	Licensed, instrument AD Municipal
KRISTIANSTAD ESMK Details, see AD 2	01/19 11/29	2215x45 480x35	ASPH Grass	Yes No	TWR	Yes	Licensed, instrument AD Municipal
KÄGERÖD ESMJ 555942N 0130312E (*) 276 ft	11/29	800x35	Grass	No	-	-	Non-licensed AD Private +46 (0)418 802 50 +46 (0)418 802 51 <b>PPR</b> THR 11 displaced 200 m. THR 29 displaced 150 m.
KÖPING ESVQ 593139N 0155811E (*) 25 ft	07/25	700x50	Grass	Yes	100LL 91/96UL	123.150	Non-licensed AD Köping flygklubb +46 (0)221 204 45 +46 (0)708 63 92 99 PN THR 07 displaced 100 m. Right hand traffic circuit to RWY 25.

AERODROME Location Indicator Coordinates (ARP) Location Elevation (ft)	RWY	Dimensions (m)	Surface	Light	ATS Fuel	COM FREQ (MHz)	Category Owner/Operator TEL Fax Regulations and restrictions Remarks
LANDSKRONA ESML 555640N 0125210E (*) 4.3 NM NNE 194 ft	12R/30L 12L/30R	1180x30 1050x90	ASPH Grass	Yes Yes	100LL 91/96UL	123.350	Non-licensed AD Municipal +46 (0)418 750 10 Fax +46 (0)418 750 34 <b>PPR</b> for repeated take-offs and landings. THR 12R displaced 105 m. THR 30L displaced 60 m. Right hand traffic circuit to RWY 12R for powered aeroplanes and helicopters and to RWY 30R for gliders. Climb to 1000 ft GND until commencing turn. PCL on freq 123.350 MHz, 30 sec duration. Not avbl 2000-0600 (1900-0500). Motor activity may occur.
LAXÅ ESSH 585843N 0143958E (*) 1.3 NM ESE 389 ft	03/21	900x30	ASPH	Yes	91/96	123.400	Non-licensed AD Municipal +46 (0)584 851 00 +46 (0)584 851 38
LIDKÖPING ESGL 582755N 0131028E 2.5 NM S Lidköping 200 ft	06/24	1990x45	ASPH	No	100LL Jet A1	124.450	Non-licensed AD Municipal +46 (0)510 222 38
LINKÖPING/Malmen ESCF Details, see AD 2	01/19 08/26	2214x35 1870x37	ASPH ASPH	Yes Yes	TWR	Yes	MIL, licensed, instrument AD FM/Swedish Armed Forces
LINKÖPING/Saab ESSL Details, see AD 2	11/29	2130x40	ASPH	Yes	TWR	Yes	Licensed, instrument AD Private
LJUNGBY/Feringe ESMG 565701N 0135518E 7 NM NE Ljungby 538 ft	01/19	1150x30	ASPH	No	100LL Jet A1	122.250	Non-licensed AD Feringe flygklubb +46 (0)372 701 64 (AD) +46 (0)705 98 19 85 +46 (0)370 819 85 +46 (0)372 806 54 <b>PPR</b> Motor activities may occur.
LJUNGBYHED ESTL Details, see AD 2	11L/29R 11R/29L	2010x40 1989x40	ASPH ASPH/ CONC	Yes Yes	TWR	Yes	Licensed, instrument AD Municipal
LJUSDAL ESUL 614901N 0160015E (*) 2.0 NM WSW 485 ft	09/27	620x35	Grass	No	100LL 91/96	123.200	Non-licensed AD Ljusdal flygklubb +46 (0)651 107 46 +46 (0)651 334 56 +46 (0)706 95 50 09 Overflying of surface quarry on 614800N 0155900E 1000m S of Ljusdal AD should be avoided below 2000 ft MSL.

AERODROME Location Indicator Coordinates (ARP) Location Elevation (ft)	RWY	Dimensions (m)	Surface	Light	ATS Fuel	COM FREQ (MHz)	Category Owner/Operator TEL Fax Regulations and restrictions Remarks
LUDVIKA ESSG 600518N 0150547E 2 NM WSW Ludvika 894 ft	01/19	819x30	ASPH	Yes	91/96	122.100	Non-licensed AD Municipal +46 (0)240 121 11 +46 (0)705 23 21 11 Turbulence over RWY when wind from the east. Motor activities on RWY weekdays 1 APR-30 SEP 0600-1200 (0500-1100) 1 OCT-31 MAR 0600-1500 (0500-1400)
LULEÅ/Kallax ESPA Details, see AD 2	14/32	3350x45	ASPH	Yes	TWR	Yes	MIL, licensed, instrument AD FM/Swedish Armed Forces
LYCKSELE ESNL Details, see AD 2	14/32	2090x45	ASPH	Yes	AFIS	Yes	Licensed, instrument AD Municipal
MALMÖ ESMS Details, see AD 2	17/35 11/29	2800x45 800x18	ASPH ASPH	Yes No	TWR	Yes	Licensed, instrument AD Swedavia AB
MALUNG/Skinnlanda ESVM 603932N 0134336E (*) 1.7 NM SSE 975 ft	16/34	800x23	ASPH	Yes	91/96	123.325	Non-licensed AD Malungs flygklubb +46 (0)280 120 95 +46 (0)280 129 81 +46 (0)705 88 23 16 Right hand traffic circuit when RWY 16 is in use. PCL on freq 123.325 MHz, 10 sec duration. RWY and lightning facilities TEMPO CLSD during winter season. Info on <a href="http://www.malungsflygklubb.se">www.malungsflygklubb.se</a>
MELLANSEL ESUI 632331N 0181914E (*) 13 NM NW Örnsköldsvik 265 ft	09/27	795x35	Grass	No	91/96	123.400	Non-licensed AD Mellansels Flygklubb +46 (0)660 910 54 +46 (0)660 922 00 Further 235 m available in emergency when landing RWY 27.
MOHED ESUM 611728N 0165047E (*) 6 NM W Söderhamn 215 ft	12/30	800x30	ASPH	Yes	100LL	123.600	Non-licensed AD Municipal +46 (0)270 42 54 56 +46 (0)706 61 06 11
MORA/Siljan ESKM Details, see AD 2	16/34	1814x45	ASPH	Yes	AFIS	Yes	Licensed, instrument AD Municipal
MUNKFORS ESKO 594756N 0132926E (*) 1.6 NM S 279 ft	03/21	700x40	Grass	No	100LL	-	Non-licensed AD Munkfors flygklubb +46 (0)552 303 89 (AD) +46 (0)563 510 74 Hangar
NORRKÖPING/Kungsängen ESSP Details, see AD 2	09/27 11/29	2203x45 600x35	ASPH Grass	Yes Yes	TWR	Yes	Licensed, instrument AD Municipal

AERODROME Location Indicator Coordinates (ARP) Location Elevation (ft)	RWY	Dimensions (m)	Surface	Light	ATS Fuel	COM FREQ (MHz)	Category Owner/Operator TEL Fax Regulations and restrictions Remarks
NORRTÄLJE ESSN 594358N 0184147E (*) 1.6 NM S 40 ft	07/25	650x18	ASPH	Yes	100LL 91/96	123.325	Non-licensed AD Roslagens flygklubb +46 (0)176 163 08 +46 (0)176 167 77 RWY 07 down slope. APAPI Left/4.50° (MEHT 40 ft). RWY 25 up slope. APAPI Right/3.80° (MEHT 41ft). Right hand traffic circuit to RWY 07. <b>PPR</b> 1 APR-30 OCT TUE-WED-THU 0600-1100 (0500-1000) RWY lights 3 m outside ASPH edge. PCL on freq 123.325 MHz 15 sec duration. APAPI activated at 10 % intencity. <b>PPR</b> for TGL during darkness. TGL not allowed 2100-0600 (2000-0500) during weekdays and 1800-0800 (1700-0700) during HOL
OPTAND ESNM 630731N 0144830E (*) 5 NM SE Östersund 1236 ft	18/36 15/33	1000x18 750x40	ASPH Grass	Yes No	100LL	123.550	Non-licensed AD Östersunds flygklubb +46 (0)63 352 45 +46 (0)63 51 01 50 Right hand traffic circuit to RWY 33 and 36. Situated near restricted area ES R08C.
ORSA ESNR 611132N 0144309E (*) 1 NM WNW Mässbacken 683 ft	03/21	1000x30	ASPH	No	-	123.400	Non-licensed AD Orsa Tallhed Flygsällskap +46 (0)250 55 01 47 +46 (0)705 48 13 81 +46 (0)706 38 10 70 +46 (0)762 73 11 01 Motor activities on RWY may occur. Grass area preferably for ultra light, winchlaunching of gliders and parachute jumping.
OSKARSHAMN ESMO Details, see AD 2	01/19	1504x30	ASPH	Yes	AFIS	Yes	Licensed, instrument AD Municipal
OVIKEN ESUO 630230N 0140005E (*) 1640 ft	18/36	850x40	Grass	No	-	123.150	Non-licensed AD Private +46 (0)702 88 64 19 +46 (0)706 41 59 41 <b>PPR</b> Hangar Caution - Low level turbulence/Lee wave rotor in wind directions from SW to NW.
PAJALA ESUP Details, see AD 2	11/29	2302x45	ASPH	Yes	TWR/AFIS	Yes	Licensed, instrument AD Municipal

AERODROME Location Indicator Coordinates (ARP) Location Elevation (ft)	RWY	Dimensions (m)	Surface	Light	ATS Fuel	COM FREQ (MHz)	Category Owner/Operator TEL Fax Regulations and restrictions Remarks
PITEÅ ESNP 652354N 0211539E (*) 8 NM NW 43 ft	16/34	1000x25	ASPH	Yes	100LL Jet A1	123.550	Non-licensed AD Piteå flygklubb +46 (0)911 623 15 +46 (0)706 87 38 64 <b>PPR</b>
RAMSELE ESUR 632925N 0162901E (*) 2.7 NM S 660 ft	14/32	740x30	Grass	No	100LL 91/96	123.500	Non-licensed AD Ramsele flygklubb +46 (0)623 200 05 +46 (0)623 320 18 THR 14 displaced 30 m. THR 32 displaced 60 m.
RONNEBY ESDF Details, see AD 2	01/19 01/19	2331x45 757x46	ASPH Grass	Yes No	TWR	Yes	MIL, licensed instrument AD FM/Swedish Armed Forces
RÄDA ESFR 582953N 0130317E (*) 230 ft	18/36	2000x35	ASPH	Yes	-	-	MIL, non-licensed AD Military +46 (0)510 47 70 00 (Airport manager) <b>PPR</b> Permission will be granted in exceptional cases only.
SANDVIK ESFS 570406N 0165151E (*) 16 NM NNE Borgholm 36 ft	17/35	600x25	Grass	No	-	123.450	Non-licensed AD Private +46 (0)485 489 30 +46 (0)705 48 42 80 <b>PPR</b> Available APR-SEP
SILJANSNÄS ESVS 604706N 0144938E (*) 1 NM NW 611 ft	14R/32L 14L/32R	850x16 850x35	ASPH Grass	No No	100LL 91/96	123.550	Non-licensed AD Siljansnäs flygklubb +46 (0)247 228 80 +46 (0)247 228 51 Right hand traffic circuit to RWY 14.
SJÖBO SÖVDE ESMI 553554N 0134038E (*) 2 NM SSW Sjöbo 118 ft	12/30	950x50	Grass	Yes	91/96 UL	123.650	Non-licensed AD Municipal +46 (0)416 160 51 For powered aircraft right hand traffic circuit when RWY 30 is in use. For gliders right hand traffic circuit when RWY 12 is in use. APR-NOV extensive launching of gliders.
SKELLEFTEÅ ESNS Details, see AD 2	10/28	2100x45	ASPH	Yes	TWR	Yes	Licensed, instrument AD Municipal
SKÖVDE ESGR Details, see AD 2	01/19	1736x30	ASPH	Yes	AFIS	Yes	Licensed, instrument AD Municipal

AERODROME Location Indicator Coordinates (ARP) Location Elevation (ft)	RWY	Dimensions (m)	Surface	Light	ATS Fuel	COM FREQ (MHz)	Category Owner/Operator TEL Fax Regulations and restrictions Remarks
SMÅLANDSSTENAR ESMY 571007N 0132624E (*) 540 ft	04/22	915x15	ASPH	Yes	100LL	123.200	Non-licensed AD AB Varmförzinkning +46 (0)371 343 00 MON-FRI 0630-1530 (0530-1430) info@varmforzinkning.se <b>PPR</b> After TKOF RWY 22 climb on RWY heading until 700 ft AMSL (160 ft AGL). Turn right and climb on heading 235° to MNM 1500 ft AMSL (1000 ft AGL). PCL on freq 123.200 MHz, 20 sec duration.
SOLLEFTEÅ ESNB 631016N 0165908E (*) 2.4 NM WSW 433 ft	14/32	820x30	ASPH	Yes	91/96	122.350	Non-licensed AD Municipal +46 (0)620 214 00 +46 (0)620 216 81
STEGEBOORG ESVE 582600N 0163618E (*) 6 ft	08/26	800x30	Grass	No	-	123.550	Non-licensed AD Stegeborgs Egendom AB +46 (0)121 420 04 stegeborg@stegeborg.se www.stegeborg.se
STOCKHOLM/Arlanda ESSA Details, see AD 2	01L/19R 01R/19L 08/26	3301x45 2500x45 2500x45	ASPH ASPH ASPH	Yes Yes Yes	TWR	Yes	Licensed, instrument AD Swedavia AB
STOCKHOLM/Bromma ESSB Details, see AD 2	12/30	1668x45	ASPH	Yes	TWR	Yes	Licensed, instrument AD Swedavia AB
STOCKHOLM/Gnesta ESSZ 590604N 0171240E (*) 4.5 NM NW Gnesta 56 ft	03/21 15/33	650x50 630x30	Grass Grass	No Yes	91/96 100LL	123.350	Non-licensed AD Östra Sörmlands flygklubb +46 (0)158 310 41 +46 (0)158 312 12 <b>PPR</b> during darkness, +46 (0)158 143 23 PCL RWY 15/33 on 123.35 MHz, 10 sec duration. THR 03 displaced 170 m. THR 33 displaced 85 m.
STOCKHOLM/Skavsta ESKN Details, see AD 2	08/26 16/34	2880x45 2039x40	ASPH ASPH	Yes Yes	TWR	Yes	Licensed, instrument AD Private
STOCKHOLM/Skå-Edeby ESSE 592042N 0174426E (*) 10 NM W 17 ft	11/29 03/21	800x50 650x65	Grass Grass	No No	100LL	123.200	Non-licensed AD Municipal +46 (0)705 48 85 85 <b>PPR</b> Answerphone +46 (0)8 560 405 74 Helicopter traffic not accepted exc police and rescue operations. ATZ established, ref ENR 2.2 Hangar and repair.
STOCKHOLM/Västerås ESOW Details, see AD 2	01/19	2581x46	ASPH	Yes	TWR	Yes	Licensed, instrument AD Municipal

AERODROME Location Indicator Coordinates (ARP) Location Elevation (ft)	RWY	Dimensions (m)	Surface	Light	ATS Fuel	COM FREQ (MHz)	Category Owner/Operator TEL Fax Regulations and restrictions Remarks
STORUMAN ESUD Details, see AD 2	15/33	2283x40	ASPH	Yes	AFIS	Yes	Licensed, instrument AD Municipal
STORVIK/Lemstanäs ESOL 603516N 0163512E (*) 210 ft	06/24	620x23	ASPH	No	100LL	123.550	Non-licensed AD Västra Gästrike flygklubb +46 (0)290 375 97 Right hand traffic circuit to RWY 06. THR 06 displaced 150 m.
STRÖMSTAD/Näsinge ESSGS 590101N 0112037E (*) 7 NM NE 115 ft	03/21	900x53	Grass	No	100LL JET A1	123.550	Non-licensed AD Municipal +46 (0)526 190 00 (Exch) +46 (0)526 311 37 +46 (0)733 74 72 00 <b>PPR</b>
SUNDBRO ESKC 595522N 0173212E (*) 5 NM NW Uppsala 62 ft	03/21 06/24 14/32	630x40 500x40 435x40	Grass Grass Grass	Yes No No	100LL 91/96	123.350	Non-licensed AD Municipal +46 (0)18 35 70 13 +46 (0)709 79 66 87 +46 (0)704 93 32 40 <b>PPR</b> Situated within Uppsala CTR. Right hand traffic circuit to RWY 03 and 06. TKOF RWY 06: Climb on 045° MAG for 1 min until turn. TKOF RWY 21: Climb on 220° MAG. PCL on freq 123.350 MHz, 10 sec duration.
SUNDSVALL-TIMRÅ ESNN Details, see AD 2	16/34	1954x45	ASPH	Yes	TWR	Yes	Licensed, instrument AD Municipal
SUNNE ESKU 595137N 0130646E (*) 1.5 NM NW 380 ft	01/19	770x100	Grass	No	100LL	123.200	Non-licensed AD Municipal +46 (0)565 101 11 +46 (0)565 77 01 55 +46 (0)703 73 05 66 THR 01 displaced 130 m.
SVEG ESND Details, see AD 2	09/27	1702x30	ASPH	Yes	AFIS	Yes	Licensed, instrument AD Municipal
SÄTENÄS ESIB Details, see AD 2	01/19 11/29	2264x40 1933x40	ASPH ASPH	Yes Yes	TWR	Yes	MIL, licensed, instrument AD FM/Swedish Armed Forces
SÄFFLE ESGY 590528N 0125730E (*) 2.7 NM S 151 ft	01/19	690x50	Grass	No	91/96	123.600	Licensed AD Säffle flygklubb +46 (0)533 180 29 +46 (0)533 162 96 +46 (0)705 09 04 92

AERODROME Location Indicator Coordinates (ARP) Location Elevation (ft)	RWY	Dimensions (m)	Surface	Light	ATS Fuel	COM FREQ (MHz)	Category Owner/Operator TEL Fax Regulations and restrictions Remarks
SÖDERHAMN ESNY 611541N 0170554E 2.5 NM SE Söderhamn 88 ft	12/30	2524x40	ASPH	No	100LL Jet A1	135.350	Non-licenced AD Municipal +46 (0)270 766 50, +46 (0)70 340 33 10 <b>PPR</b> Fuel +46 (0)70 632 55 00, +46 (0)70 632 77 70 Right hand traffic circuit RWY 12.
TIDAHOLM/Bämmelshed ESGD 581131N 0135944E (*) 456 ft	04/22	675x50	Grass	No	91/96	123.650	Non-licensed AD Tidaholms flygklubb +46 (0)502 330 84 +46 (0)708 33 08 41 <b>PPR</b> Right hand traffic circuit to RWY 22. Downdraft may occur when easterly winds. THR 04 displaced 15 m.
TIERP ESKT 602042N 0172519E (*) 2.7 NM W Tierp 129 ft	16/34	850x35	ASPH	No	91/96	123.400	Non-licensed AD Tierp ARENA AB Norra Upplands flygklubb +46 (0)76 78 60 088 AD manager +46 (0)73 65 22 211 THR 34 displaced 100 m. Right hand traffic circuit to RWY 34.
TORSBY ESST Details, see AD 2	16/34	1590x30	ASPH	Yes	AFIS	Yes	Licensed, instrument AD Municipal
TROLLHÄTTAN-VÄNERSBORG ESGT Details, see AD 2	15/33	1710x30	ASPH	Yes	TWR	Yes	Licensed, instrument AD Municipal
UDDEVALLA/Backamo ESGA 581038N 0115825E (*) 10.4 NM S Uddevalla 424 ft	06/24	760x30	Grass	No	91/96 100LL	123.550	Non-licensed AD Municipal +46 (0)522 233 65 +46 (0)705 52 33 65 +46 (0)522 69 60 00 <b>PPR</b>
UDDEVALLA/Rörkärr ESGU 582204N 0114631E (*) 5.0 NM NW 120 ft	03/21	655x30	Grass	No	100LL	123.550	Non-licensed AD Private +46 (0)522 824 14 +46 (0)522 355 55 <b>PPR</b>
UMEÅ ESNU Details, see AD 2	14/32	2302x45	ASPH	Yes	TWR	Yes	Licensed, instrument AD Swedavia AB
UPPSALA ESCM Details, see AD 2	08/26 03/21	2010x40 1905x40	ASPH ASPH	Yes Yes	TWR/APP	Yes	MIL, non-licensed AD FM/Swedish Armed Forces

AERODROME Location Indicator Coordinates (ARP) Location Elevation (ft)	RWY	Dimensions (m)	Surface	Light	ATS Fuel	COM FREQ (MHz)	Category Owner/Operator TEL Fax Regulations and restrictions Remarks
VARBERG ESGV 570729N 0121341E (*) 1.5 NM NW 3 ft	06/24 12/30	600x50 560x40	Grass Grass	Yes Yes	91/96 100LL	123.150	Licensed AD Municipal +46 (0)340 198 00 +46 (0)340 150 40 <b>PPR</b> 1 dec-15 apr. Special permission required to use RWY 06/24. PCL on freq 123.150 MHz, 10 sec duration.
VELLINGE ESTT 552346N 0130131E (*) 12 ft	03/21	600x30	Grass	No	100LL	123.400	Non-licensed AD Söderslätt flygklubb +46 (0)410 33 04 50 +46 (0)708 12 86 14 +46 (0)708 16 22 11 +46 (0)705 61 26 03 Obstacle 1 NM NE AD <b>PPR</b> Right hand traffic circuit to RWY 03.
VIDSEL ESPE Details, see AD 2	11/29	2230x35	ASPH	Yes	TWR	Yes	MIL, non-licensed AD FM/Swedish Armed Forces
VILHELMINA ESNV Details, see AD 2	10/28	1502x30	ASPH	Yes	AFIS	Yes	Licensed, instrument AD Municipal
VISBY ESSV Details, see AD 2	03/21 10/28	2000x45 1100x40	ASPH Grass	Yes No	TWR	Yes	Licensed, instrument AD Swedavia AB
VISINGSÖ ESSI 580555N 0142409E (*) 309 ft	15/33 01/19	800x25 600x25	Grass Grass	No No	-	123.500	Non-licensed AD Jönköpings flygklubb +46 (0)390 402 77 +46 (0)36 31 12 20
VÄRGÄRDA ESGO 580221N 0124709E (*) 0.8 NM NW 328 ft	04/22	890x30	ASPH	No	Jet A1 O/R	123.650	Non-licensed AD Värgårdas Flygplats AB +46 (0)0707 91 35 94 <b>PPR</b> THR 04 displaced 200 m. THR 22 displaced 40 m. Right hand circuit to RWY 22. MAR-OCT intensive parachute jumping. Motor activities on RWY may occur. After take-off RWY 04 turn left immediately, climb on track 015° to 1000 ft GND before commencing turn. After take-off RWY 22 turn left immediately, climb on track 210° to 1000 ft GND before commencing turn. Overflying Värgårdas village SE of AD shall be avoided below 2300 ft MSL.
VÄSTERVIK ESSW 574648N 0163125E (*) 4 NM NW 129 ft	15R/33L 15L/33R	800x30 800x60	ASPH Grass	Yes Yes	100LL Jet A1 100LL Jet A1	122.100	Non-licensed AD Municipal +46 (0)490 240 50 +46 (0)490 880 00 PCL on freq 122.100 MHz, 10 sec duration. <b>PPR</b> +46 (0)703 98 27 30

AERODROME Location Indicator Coordinates (ARP) Location Elevation (ft)	RWY	Dimensions (m)	Surface	Light	ATS Fuel	COM FREQ (MHz)	Category Owner/Operator TEL Fax Regulations and restrictions Remarks
VÄSTERÅS/Johannisberg ESSX 593433N 0163011E (*) 2.5 NM SW 25 ft	05/23 16/34	850x23 700x50	ASPH Grass	Yes No	100LL	123.650	Non-licensed AD Municipal +46 (0)21 13 56 12 Right hand traffic circuit when RWY 05 or RWY 16 is in use. Take off and landing exercises not allowed: MON-FRI 1700-0700 (1600-0600) SAT-SUN 1500-0900 (1400-0800) HOL H24. ATZ established, ref ENR 2.2
VÄXJÖ/Kronoberg ESMX Details, see AD 2	01/19	2106x45	ASPH	Yes	TWR	Yes	Licensed, instrument AD Municipal
ÄLLEBERG ESGC 580805N 0133609E (*) 3 NM SE Falköping 1099 ft	03/21	550x30	Grass	No	100LL 91/96	123.400	Non-licensed AD KSAK +46 (0)515 371 51 <b>PPR</b>
ÄNGE/Tälje ESUJ 623355N 0155005E (*) 427 ft	14/32	720x30	Grass	No	100LL	123.150	Non-licensed AD Änge flygklubb +46 (0)690 222 50 +46 (0)690 230 08
ÄRE ÖSTERSUND ESNZ Details, see AD 2	12/30	2500x45	ASPH	Yes	TWR/APP	Yes	Licensed, instrument AD Swedavia AB
ÄSELE ESUS 640933N 0171628E (*) 2.2 NM W 1011 ft	12/30	1200x30	Grass	No	100LL	123.600	Non-licensed AD Municipal +46 (0)941 140 00 THR 12 and 30 displaced 100 m.
ÄLMHULT/Möckeln ESMU 563414N 0140959E (*) 2.5 NM NNE 480 ft	03/21	604x30	Grass	No	91/96 100LL	123.600	Non-licensed AD Älmhults flygklubb +46 (0)476 147 44 +46 (0)705 18 55 22 <b>PPR</b> Right hand traffic circuit to RWY 03.
ÄLVSBYN ESUV 653845N 0210341E (*) 1.1 NM SE 227 ft	04/22	730x30	Grass	No	100LL	123.350	Non-licensed AD Älvbyn flygklubb +46 (0)929 558 10 +46 (0)929 558 16 THR 04 displaced 90 m. THR 22 displaced 80 m.
ÄNGELHOLM ESTA Details, see AD 2	14/32	1945x45	ASPH	Yes	TWR	Yes	Licensed, instrument AD Private
ÖLANDA ESMZ 571943N 0170301E (*) 5 NM N Böda 27 ft	15/33	600x23	ASPH	No	-	123.650	Non-licensed AD Ölanda flyg- och motorklubb +46 (0)485 281 41 (AD JUN-AUG) info +46 (0)705 79 47 36 <b>PPR</b>

AERODROME Location Indicator Coordinates (ARP) Location Elevation (ft)	RWY	Dimensions (m)	Surface	Light	ATS Fuel	COM FREQ (MHz)	Category Owner/Operator TEL Fax Regulations and restrictions Remarks
ÖREBRO ESOE Details, see AD 2	01/19	2602x45	ASPH	Yes	TWR	Yes	Licensed, instrument AD Municipal
ÖRESTEN ESGM 572643N 0123856E (*) 5.4 NM SW Kinna 378 ft	06/24	680x35	Grass	No	100LL O/R	123.200	Non-licensed AD Öresten flygklubb +46 (0)320 400 23 +46 (0)320 552 75 +46 (0)300 54 38 30
ÖRNSKÖLDSTORP ESNO Details, see AD 2	12/30	2016x45	ASPH	Yes	TWR	Yes	Licensed, instrument AD Municipal
ÖVERKALIX ESNE 663148N 0222118E (*) 17 NM NW 295 ft	05/23	900x36	Grass	No	-	-	Non-licensed AD Överkalix flygklubb +46 (0)722 22 27 45 +46 (0)703 99 02 57 <b>PPR</b> Beware of reindeer